

# For dson

TRADE MARK

## TRACTOR

PARTS  
PRICE LIST

*Ford Motor Company*  
DETROIT, MICH.

# Fordson

TRADE MARK

## TRACTOR

### PARTS PRICE LIST



Effective October 1, 1920


Prices subject to change without notice

*Ford Motor Company*  
DETROIT, MICH.

# Fordson Tractor

## PARTS PRICE LIST

Effective October 1, 1920



Motor Number here

### Instructions for Ordering Parts

1. Always give number of Tractor; it is stamped on the motor on the right-hand side. (See Plate above.)
2. Always give number and name of each part ordered.
3. All prices net f. o. b. Branch, Factory or Dealer.
4. Specify whether shipments are to be forwarded by mail, express or freight.
5. Orders for parts should be written separately from correspondence pertaining to other matters.
6. Do not order Parts from Manufacturer or Distributor.
7. Parts should be ordered from Dealer.

*Ford Motor Company*


DETROIT, MICH.

FACTORIES  
Dearborn, Mich., U. S. A.  
Cork, Ireland

# Price List of Parts Fordson Tractor

Catalog No.	Name	Specifications	List	Factory No.	Unit	Weight
<b>REAR AXLE</b>						
S1	Rear axle shaft	Steel	\$ 8 00	1305	2	23 lb.
S2	Rear axle housing—R. or L.	Cast iron	18 00	1674	2	67 lb.
S3	Rear axle housing cap screw	$\frac{1}{8}$ " x 12 thds.	15	1448	24	3 oz.
S4	Rear axle housing gasket	Paper	05	1895	2	2 lb.
S5	Rear axle roller bearing	Steel	2 50	2035	2	1 lb.
S6	Rear axle roller bearing sleeve	Steel	1 00	2036	2	6 oz.
S7	Rear axle shaft bearing cover	Steel	05	1630	2	5 oz.
S8	Rear axle shaft felt retainer	Felt	15	1632	2	5 oz.
S9	Rear axle shaft felt	Steel	15	1629	2	5 oz.
S10	Rear axle housing plug	$\frac{1}{2}$ " pipe plug	8 00	820	2	6 lb., 1 oz.
S11	Differential gear	Steel	05	1304	2	6 oz.
S12	Differential gear lock ring	Steel	03	1340	2 Pr.	1 oz.
S13	Differential pinion spider	Steel	4 40	1315	4	5 lb., 1 oz.
S14	Differential pinion	Cast iron	6 00	1313	4	1 lb., 6 oz.
S15	Differential housing	Steel	3 00	1314	2	20 lb.
S16	Differential housing bolt	$\frac{1}{2}$ " x 2 $\frac{1}{8}$ " x 20 thds.	20	1152	12	2 oz.
S17	Dif. housing bolt nut	$\frac{1}{2}$ " x 20 thds.	10	567	12	2 oz.
S18	Differential housing ball bearing	$\frac{3}{16}$ " dia. inside, $6\frac{1}{8}$ " T. outside, No. 218 R. T.	22 00	1526	2	5 lb.
S19	WORM GEAR	Bronz.	35 00	1294	1	30 lb.
S20	Worm	Steel	21 00	1528	1	20 lb.
S21	Worm shaft thrust ball bearing	$2\frac{1}{8}$ " dia. inside, $5\frac{1}{2}$ " dia. outside	30 00	1524	1	5 lb., 8 oz.
S22	Worm shaft thrust ball bearing	Hess Bright	28 75	1524 $\frac{1}{2}$	1	5 lb., 8 oz.
S22B	Worm shaft thrust ball bearing	Large	1 00	2645	1	1 lb.
S23	Worm shaft thrust bearing spacer	Small	65	2646	1	1 lb.
S24	Worm shaft thrust bearing spacer	Small	1 00	1406	1	1 lb.
S25	Worm nut	$1\frac{1}{2}$ " x 12 thds.	1 00	1406	1	1 lb.
<b>FRONT AXLE</b>						
<b>FRONT AXLE ASSEMBLY</b>						
S50	Front axle—with bushing	Steel	45 00	1729	1	70 lb.
S51	Front axle trunnion	$1\frac{1}{2}$ " x 4 $\frac{1}{2}$ "	12 00	2272	1	28 lb.
S52	Front axle trun. bushing	Steel	50	1450	1	1 lb., 1 oz.
S53	Front axle trun. bushing	Steel	10	1451	1	3 oz.
S54	RADIUS ROD—W/TTH BUSHING	Steel	4 00	2273	1	9 lb.
S55	Radius rod bushing	Steel	10	1482	1	2 oz.
S56	Radius rod pin	$\frac{3}{8}$ " x 3 $\frac{1}{8}$ "	20	1483	1	8 oz.
S57	Radius rod bolt	$\frac{5}{8}$ " x 2 $\frac{1}{4}$ " x 18 thds.	20	1337	2	3 oz.
S58	Radius rod bolt nut (Same as T2598)	$\frac{5}{8}$ " x 18 thds.	10	723	2	1 oz.
S59	SPINDLE BODY	Steel	6 00	2309	2	7 lb.
S60	Spindle body bushing	Steel	10	1606	2 Pr.	2 oz.
S61	Spindle pin	$1\frac{1}{8}$ " x 6 $\frac{1}{2}$ "	1 25	1607	4	1 lb., 6 oz.
S62	Spindle pin washer	Steel	10	1609	4	1 oz.
S63	Front wheel dust ring	Steel	15	2509	2	4 oz.
S64	Spindle pin grease cup	Felt (used on 1st 35000 trs.)	15	1770	2	3 oz.
S65	Spindle felt	Steel (used on 1st 35000 trs.)	10	1640	2	2 oz.
S66	Spindle felt retainer	Steel	10	1608	2	1 oz.
S67	Spindle washer	Steel	05	1611	2	1 oz.
S68	Spindle nut	$\frac{3}{4}$ " x 16 thds.	10	686	2	2 oz.
S69	SPINDLE ARM FRONT—RIGHT—ASSEMBLY	Steel	2 00	2311	1	2 lb.
S70	SPINDLE ARM FRONT—LEFT—ASSEMBLY	Steel	4 00	2312	1	3 lb., 4 oz.
S71	Spindle arm bushing	Steel	10	1328	2	1 oz.
S72	Spindle arm washer	Steel (Order S67)	10	1611	2	1 oz.
S73	Spindle arm nut	$\frac{3}{4}$ " x 16 thds (Order S68)	2 50	1586	2	2 oz.
S74	Spindle connecting rod	Steel	10	1339	2	7 oz.
S75	Spindle conn. rod yoke pin	Steel	60	1614	2	1 oz.
S76	Spindle arm ball	Steel	10	1337	2	7 oz.
S77	Spindle arm ball nut	$\frac{3}{8}$ " x 18 (Order S58)	723	723	2	1 oz.
S78	STEERING GEAR CONN.—ROD ASSEMBLY	Steel	5 00	2224	1	5 lb., 10 oz.
S79	Steering gear conn. rod	Steel	2 00	1809	1	3 oz.
S80	Steering gear conn. rod cap bolt	Steel	40	427	2	3 oz.
S81	Steering gear conn. rod cap bolt	$1\frac{1}{8}$ " x 1 $\frac{1}{2}$ " x 20 thds.	10	1733	4	2 oz.
S82	Steering gear conn. rod cap nut	$1\frac{1}{8}$ " x 20 thds.	05	1999	4	2 oz.
<b>WHEELS</b>						
<b>FRONT WHEEL ASSEMBLY</b>						
S100	Front wheel hub cap	Steel	20 00	2039	2	66 lb.
S101	Front wheel spindle bearing	Steel	30	1603	2	1 lb., 2 oz.
S102	Front wheel spindle bearing	Steel	1 25	2600	2	7 oz.
S103	Front wheel spindle bearing	$2\frac{1}{8}$ " dia. outside, No. 14283	1 75	2601	2	7 oz.
S104	Front wheel spindle bearing	$1\frac{1}{8}$ " dia. inside, No. 14118	2 00	2602	2	14 oz.
S105	Front wheel spindle bearing	$3\frac{1}{8}$ " outside dia., No. 352	3 50	2603	2	12 oz.
S106	Front wheel spindle washer	$1\frac{1}{8}$ " inside dia., No. 357	10	2574	2	3 oz.
S107	Front wheel ball bearing	$1\frac{1}{8}$ " dia. inside, $2\frac{1}{8}$ " dia. outside, No. 306 R. T.	5 25	1553	2	14 oz.

\*Beginning with Tractor No. 32764






Plate No. 2




Plate No. 3

Catalog No.	Name	Specifications	List	Factory No.	Unit	Weight
-------------	------	----------------	------	-------------	------	--------

**WHEELS—Continued**

S108	Front wheel ball bearing	1 1/8" dia. inside, 3 3/8" dia. outside, No. 308 R. T.	\$ 8 00	1552	2	1 lb., 7 oz.
S120	REAR WHEEL ASSEMBLY—RIGHT	Less bushing	50 00	2223	1	315 lb.
S121	REAR WHEEL ASSEMBLY—LEFT	Less bushing	50 00	1777	1	315 lb.
S122	Rear wheel hub cap screw	3/8" x 2 1/4" x 10 thds.	25 00	790	8	7 oz.
S123	Rear wheel clear—right	Steel	7 00	1303	2	8 lb.
S124	Rear wheel clear—left	Steel	1 10	675	14	8 lb.
S125	Rear wheel clear—left	Steel	1 10	676	14	8 lb.
S128	Rear wheel clear rivet	1/4" x 1 1/2" iron rivet.	02 00	635	112	1 oz.

**KEROSENE TANK**

S150	KEROSENE TANK ASSEMBLY	Terne plate	14 00	1618	1	25 lb.
S151	Kerosene tank cap (same as T2901)	Die casting	10 00	1572	1	3 oz.
S152	Kerosene tank strap—front assembly		1 25	1926	1	1 lb., 8 oz.
S153	Kerosene tank strap—rear assembly		1 25	1927	1	1 lb., 8 oz.
S154	Kerosene tank strap lining	Cotton webbing	15 00	1579	2	2 oz.
S155	Kerosene tank strap rivet	Copper 1/8" x 3/8" split rivet	01 00	1578	6	2 oz.
S156	Kerosene tank strap lock washer	Steel	02 00	1651	4	2 oz.
S157	Kerosene tank strap nut	1/8" x 20 thds.	05 00	584	4	2 oz.
S158	Sediment bulb assembly (Same as T2902B)	Less pet cock	1 00	1622	1	1 lb., 2 oz.
S159	Sediment bulb flange		30 00	2102	1	1 lb.
S160	Sediment bulb flange gasket		03 00	2112	1	1 lb.
S161	Sediment bulb pet cock		25 00	1930	1	2 oz.
S162	Kerosene feed tube (Same as T3079)	Copper tubing	25 00	1930	1	2 oz.
S163	Kerosene feed tube pack nut (Same as T2910)	Order S1633	05 00	1964	1	1 oz.
S164	Sediment bulb pack nut packing (Same as T2913)	Pat.	02 00	2230	1	1 oz.


**GASOLINE TANK**

S175	GASOLINE TANK ASSEMBLY	Assembly	6 00	2026	1	12 lb.
S176	Gasoline tank (Same as T2901)	Cast iron	5 00	2024	1	11 lb.
S178	Gasoline tank plug	Die casting (Order S151)	1572		1	3 oz.
S179	Gasoline tank plug gasket	Mail iron	60 00	2027	1	4 oz.
S180	Gasoline tank pet cock	Lead	05 00	2530	1	1 lb.
S181	Gasoline feed tube	Copper tubing	30 00	1768	1	2 oz.
S182	Gasoline feed tube pack nut (Order S1633)	Order S1633	35 00	1931	1	2 oz.
S183	Gasoline tank cap screw	1/2" x 1 1/4" x 13	10 00	1964	2	2 oz.
S183	Gasoline tank screw lock washer	1/2" std.	02 00	2247	2	2 oz.

**MOTOR**

S200	CYLINDER ASSEMBLY	Cast iron	80 00	2360	1	195 lb.
S201	Cylinder head	Cast iron	16 50	133	1	52 lb.
S202	Cylinder head cap screw	1/2" x 3/8" x 13 thds.	20 00	1379	22	4 oz.
S203	Cylinder head gasket	Copper asbestos	1 20	157	1	11 oz.
S204	Cylinder head water connection	Copper asbestos	25 00	1567	1	2 oz.
S205	Cylinder plug	Steel, 1 1/4" dia.	03 00	1344	5	7 oz.
S206	Cylinder oil pipe	Steel	70 00	1816	1	45 lb.
S207	Cylinder front cover	Cast iron	13 00	1881	1	2 oz.
S208	Cylinder front cover bolt	1/4" x 1 1/2" x 20 thds.	10 00	583	2	2 oz.
S210	Cylinder front cover drain nut	1/4" x 20 thds. (Order S157)	60 00	584	2	7 oz.
S211	Cylinder front cover felt	Brass and mail iron	05 00	1769	1	7 oz.
S211	Cylinder front cover cap screw	1/2" x 1 1/4" x 13 thds. (Order S182)	05 00	716	2	7 oz.

S213	washer	1/2" std. (Order S183)	10 00	2247	3	2 oz.
S214	Cyl. front cover gasket	Vellumoid	1889		1	3 lb., 15 oz.
S214	PISTON COMPLETE	Cast iron	5 00	2264	4	3 lb., 15 oz.
S216	Piston complete	.005" oversize	5 00	2264D	4	3 lb., 15 oz.
S216	Piston complete	.009" oversize	3 00	2264C	4	3 lb., 15 oz.
S217	Piston pin	Steel	1 00	1168	4	8 oz.
S218	Piston ring	.009" oversize	35 00	363D	12	2 oz.
S219	PISTON ROD ASSEMBLY	Does not include S223	6 50	2268	4	3 lb., 10 oz.
S220	Connecting rod cap bolt	1/2" x 2 1/4" x 20 thds.	25 00	1376	8	2 oz.
S221	Connecting rod cap bolt nut	1/2" x 2 1/4" x 20 thds.	20 00	1377	8	2 oz.
S222	Conn. rod clamp screw	1/8" x 1 1/2" x 20 thds.	20 00	1070	24	2 oz.
S223	Conn. rod emergency shim	Brass .0015"	01 00	2542	1	1 lb., 14 oz.
S224	CRANKSHAFT KEY	Steel	40 00	1145	1	46 lb.
S226	CRANKSHAFT KEY	Steel	2 30	1144	1	1 lb., 14 oz.
S228	CRANKSHAFT KEY	Steel	05 00	589	1	2 lb., 6 oz.
S229	CRANKSHAFT BEARING CAP	Steel	3 00	137	2	2 lb., 10 oz.
S230	CRANKSHAFT BEARING CAP	Steel	3 00	2565	1	2 lb., 10 oz.



**MOTOR—Continued**

S231	Crankshaft bearing cap shim	Fin plate, .006" x 2 1/2" x 12 thds.	\$ 0 01	1069	30	4 oz.
S232	Crank fit bearing cap screw	Steel, 1/8" x 2 1/2" x 12 thds.	25	565	12	4 oz.
S233	Crank fit bearing cap screw	Brass, .003"	01	2446	1	13 lb.
S234	CAMSHAFT	Steel	16 50	446	1	4 lb., 12 oz.
S235	CAMSHAFT KEY	(Order S228)	3 00	589	1	3 oz.
S236	CAMSHAFT GEAR	Cast iron, 1" x 14 thds.	15	392	1	1 oz.
S238	CAMSHAFT NUT—small (Same as T3220)	1/8" x 18 thds.	05	991	1	1 oz.
S239	CAMSHAFT TIME GEAR RIVET	Steel, 1/8" x 1 1/2"	02	1907	1	1 oz.
S240	CAMSHAFT THREE GEAR CAP	Steel	05	1908	1	1 oz.
S241	Valve push rod	Steel	45	1041	8	5 oz.
S242	Valve (Intake and exhaust)	Assembly, 1/2" x 1 1/2" x 13 thds.	40	109	8	2 oz.
S243	Valve spring cover screw	Cast iron, 3/4" long	10	1917	2	3 oz.
S244	Valve bushing	Steel	35	112	8	3 oz.
S245	Valve spring seat pin	Steel	10	397	8	3 oz.
S246	Valve spring seat pin	Steel	03	398	8	3 oz.
S247	Valve spring cover	Steel	01	124	8	1 oz.
S248	Valve spring cover gasket	Cork	50	717	1	1 oz.
S249	Valve spring cover gasket	Cork	15	1783	1	1 oz.
S250	CRANKCASE	Cast iron, 1 1/2" x 20 thds. (Order S208)	18 00	1331	1	62 lb.
S251	CRANKCASE NUT	1/4" x 20 thds. (Order S157)	583	584	18	1 oz.
S252	CRANKCASE PET COCK	1/2" x 20 thds. (Order S180)	1768	1884	2	2 oz.
S253	CRANKCASE DRAIN PLUG	Brass (Order S180)	20	1884	1	3 oz.
S254	CRANKCASE PIPE PLUG	(Order S707)	20	1885	1	3 oz.
S255	CRANKCASE PIPE PLUG	1/2" pipe plug (Order S10)	05	820	1	1 oz.
S256	CRANKCASE GASKET	Paper, per pair	05	1892	1 Pr.	4 oz.
S257	Breather cover assembly	Paper, per pair	30	2015	1	4 oz.
S259	Breather strainer	Wire cloth	10	2016	1	1 oz.

**COMMUTATOR**

S275	COM. ASSEMBLY WITH BRUSH		2 00	2023	1	14 oz.
S276	Com. case with fibre		1 50	2002	1	10 oz.
S277	Com. lock nut (Same as T3210)	Steel, No. 10 x 32 thds.	02	1922	8	3 oz.
S278	Com. brush assembly	Spring steel	50	2003	1	2 oz.
S279	Com. case spring	Steel	10	1750	1	2 oz.
S280	Com. case spring stud	Steel (Order S157)	20	2022	1	4 oz.
S281	Com. spring stud nut	Steel	05	584	2	2 oz.
S282	Com. control rod	Steel	15	1656	1	2 oz.

**MAGNETO**

S300	MAGNETO COIL ASSEMBLY		10 00	1841	1	13 lb., 4 oz.
S301	Magneto coil support shim	Fin plate, 1/2" x 1 1/2" x 13 thds.	01	948	3	2 oz.
S302	Magneto coil support screw	1/2" x 1 1/2" x 13 thds.	15	1260	3	2 oz.
S303	PRIMARY CONTACT ASSEMBLY	Assembly	75	177	1	2 oz.
S304	Primary insulating lock nut	No. 12 x 24 thds.	01	179	2	112 lb.
S305	Flywheel	Cast iron	16 00	1445	1	112 lb.
S306	Flywheel magnet (16 per set)	Steel	7 00	2206	1	12 lb.
S307	Flywheel magnet clamp	Steel	05	2207	16	1 oz.
S308	Flywheel mag. clamp screw	Brass	10	513	16	1 oz.
S309	Flywheel magnet support	Aluminum	05	520	16	1 oz.
S310	Flywheel magnet bolt (Same as T3254)	Steel, 3/8" x 1 3/4" x 24 thds.	05	576	16	1 oz.
S311	Flywheel magnet washer	Steel (Same as T3255B)	02	805	16	1 oz.
S312	Flywheel ball bearing	1 1/8" inside dia., 2 1/8" outside dia., No. 306 R. 1. (Order S107)	1553	451	1	14 oz.
S313	Flywheel stud	Steel, 1/2" x 20 thds. (Order S18)	50	507	6	7 oz.

**TRANSMISSION**

S325	TRANSMISSION HOUSING	Cast iron	50 00	1673	1	205 lb.
S326	Trans. housing gasket	Caper	05	1894	1	15 lb.
S327	Trans. housing plate	Cast iron	4 50	1673	1	15 lb.
S328	Trans. housing plate gasket	Caper	05	1898	1	1 oz.
S329	Trans. housing plate pin	Steel, 1/2" x 1 1/4" x 13 thds.	05	1755	1	1 oz.
S330	Trans. housing plate cap screw	1/2" x 1 1/4" x 13 thds. (Order S329)	1260		8	2 oz.
S331	Trans. housing bolt	1/2" x 20 thds. (Order S208)	583		14	1 oz.
S332	Trans. housing bolt nut	1/2" x 20 thds. (Order S157)	584		14	1 oz.
S333	Trans. housing plug	1/2" pipe plug (Order S10)	820		1	2 oz.
S334	Trans. housing cap screw	1/2" x 1 1/4" x 13 thds. (Order S182)	560		2	2 oz.
S335	Trans. drive shaft	Steel	20 00	1548	2	11 lb.
S336	Trans. shaft bevel gear	Steel, 1 1/8" x 20 thds.	9 00	1549	1	3 lb., 5 oz.
S337	Trans. drive shaft nut	Steel, 1 1/8" x 20 thds.	1 00	1590	1	3 lb., 5 oz.
S338	Trans. shaft—upper	Steel	12 00	1518	1	6 lb., 8 oz.
S339	Trans. shaft—lower	Steel	15 00	2192	1	9 lb., 8 oz.
S340	Trans. pinion (splined)	Steel	7 50	1545	2	3 lb., 9 oz.

\* Sold in sets only.




Plate No. 5

**TRANSMISSION—Continued**

S341	Trans. pinion reverse (Plan)	Steel	8 00	1546	1	3 lb., 10 oz.
S342	Trans. gear—low	Steel	12 00	1547	1	5 lb., 8 oz.
S343	Trans. gear—large	Steel	16 00	1540	1	10 lb.
S344	Trans. reverse idler with bushing	Steel	5 00	2265	1	2 lb., 5 oz.
S345	Trans. housing plate oil shield	Steel	05	2584	1	1 oz.
S346	Trans. reverse idler shaft	Steel	1 50	2442	1	1 lb., 6 oz.
S347	Trans. reverse idler bushing	Bronz.	65	1663	1	5 oz.
S348	Trans. reverse idler collar	Steel	15	2443	1	5 oz.
S349	Trans. shaft ball bearing—small	1" dia. inside, 3 1/4" dia. outside, No. 405 R. T.	6 50	1521	2	1 lb., 4 oz.
S350	Trans. shaft ball bearing—large	1 1/8" dia. inside, 3 3/8" dia. outside, No. 406 R. T.	7 50	1522	2	1 lb., 11 oz.
S351	Trans. drive shaft and large gear ball bearing	2 3/4" dia. inside, 4 1/8" dia. outside, No. 214 R. T.	13 00	1523	2	2 lb., 9 oz.
S352	Drawbar cap screw	Semi-steel, 1/2" x 1 1/2" x 12 thds.	2 50	1536	2	10 lb., 5 oz.
S353	Drawbar cap screw	Steel, 3/8" x 1 3/8" x 12 thds.	15	587	4	2 oz.
S354	Drawbar cap gasket	Paper	05	1899	1	1 oz.
S355	Trans. rev. idler shaft cot-ter pin	1/8" x 2"	25	2475	1	2 oz.

**GEAR SHIFTER**

S375	GEAR SHIFTER ASSEMBLY	Cast iron	15 00	1782	1	16 lb.
S376	Gear shifter plate	Cast iron	5 00	1529	1	8 lb.
S377	Gear shifter plate gasket	Vellumid.	10	1896	1	1 lb.
S379	Gear shifter plate cap screw	1/2" x 1 1/2" x 13 thds. (Order S182)	560		4	2 oz.
S380	Gear shifter lever ball	Steel	1 50	1602	1	2 lb., 13 oz.
S381	Gear shifter lever ball pin	Steel	30	577	1	1 oz.
S382	Gear shifter lever ball re-tainer	1/2" x 1 1/2"	03	1345	1	4 oz.
S383	Gear shifter lever ball re-tainer pin	Steel	15	1053	1	2 oz.
S384	Gear shifter—upper	3/8" x 1 1/2"	03	1059	1	1 lb.
S385	Gear shifter—lower	Steel	2 00	1531	1	1 lb.
S386	Gear shifter shaft	Steel	85	1522	2	1 lb., 1 oz.
S387	Gear shifter shaft pin	Steel	15	1540	2	11 oz.
S388	Gear shifter plunger spring	1/4" x 1 3/8"	03	1584	2	1 oz.
S389	Gear shifter plunger spring	Steel wire	05	534	1	1 oz.
S391	Gear shifter plate cap	Steel stamping (Order S254)	10	2202	1	3 oz.

**CLUTCH**


S400	CLUTCH ASSEMBLY	Steel	18 00	1660	1	22 lb.
S401	Clutch housing—front	Steel	90	175	1	1 lb., 4 oz.
S402	Clutch housing—rear assb.	Cast iron and steel	3 50	2193	1	4 lb., 11 oz.
S403	Clutch housing cap screw	1/2" x 1 1/2" x 28 thds.	10	2347	8	1 oz.
S404	Clutch housing cap screw nut	1/2" x 28 thds.	03	2348	8	1 oz.
S405	Clutch plate driver	Steel	35	416	8	6 oz.
S406	Clutch plate driven	Steel	40	417	9	6 oz.
S407	Clutch spring	Spring steel	10	944	6	2 oz.
S408	Clutch drive drum and keys	Spring steel	7 00	2194	1	6 lb.
S409	Clutch drive drum ring	Steel	05	1591	1	1 oz.
S410	Clutch driven drum nut	Steel	80	1589	1	4 oz.

**STARTING CRANK**

S425	STARTING CRANK ASSEMBLY	Steel	2 25	1844	1	4 lb., 4 oz.
S426	Starting crank	Steel	1 60	661	1	3 lb., 4 oz.
S427	Starting crank handle (Same as T3901)	Cast iron	20	461	1	6 oz.
S428	Starting crank handle pin (Same as T3902)	Steel	10	460	1	4 oz.
S429	Starting crank handle spring (Same as T3909)	Steel 1" long	03	1843	1	1 oz.
S430	Starting crank spring	Steel	05	439	1	1 oz.
S431	Starting crank spacer	Steel	10	1823	1	2 oz.
S432	Starting pin	1/2" dia. x 2 1/2"	10	1021	1	2 oz.

**DASH**

S451	Dash with lining	Cast iron	13 00	2266	1	32 lb.
S452	Dash cotton lining	Cotton webbing	10	1817	4	2 oz.
S453	Dash cap rivet	1/8" x 1 1/2" x 12 thds.	178		4	1 oz.
S454	Dash cap screw	1/8" x 1 1/2" x 12 thds. (Order S355)	05	587	2	1 oz.
S455	Dash gasket	Vellumid.	05	1897	1	1 oz.
S456	CLUTCH LEVER BRACKET ASSEMBLY	Cast iron	6 00	1789	1	5 lb.
S457	Clutch lever bracket	Cast iron, 1/2" x 1 1/2" x 13 thds.	2 10	1758	1	1 lb.
S459	Clutch lever	Steel (Order S302)	2 50	1260	4	2 oz.
S461	Church lever pin	1/8" x 2 1/2" (Order S75)	1 30	1339	1	2 lb., 2 oz.
S462	Church release plate	Bronz.	3 00	1759	1	4 oz.
S463	Church pedal cam	Steel	1 50	1587	1	15 oz.
S464	Church pedal cam retainer	Steel	05	1761	1	7 oz.
S465	Church pedal spring	Steel wire	05	1762	1	1 oz.
S466	Church pedal spring	Steel wire	05	1853	1	1 oz.






Plate No. 7




Plate No. 8

STEERING GEAR

Part No.	Name	Specifications	List	Factory No.	Unit	Weight
S475	STEERING WHEEL ASSEMBLY					
S476	Steering wheel rim	Maplewood	\$ 2.50	1510	1	5 lb., 7 oz.
S477	Steering wheel rim screw	Steel	0.02	1734	4	15 oz.
S478	Steering wheel spider	Cast iron	1.50	1748	1	3 lb., 8 oz.
S479	Steering shaft	Steel	2.00	1437	1	3 lb., 11 oz.
S480	Steering shaft grease cup	3/8" x 18 tnds.	10	1772	1	1 oz.
S481	Steering shaft nut	3/8" x 18 tnds.	10	1745	1	1 lb., 15 oz.
S482	Steering sector	Malleable iron	1.50	1731	1	1 lb., 15 oz.
S483	Steering sector pin	3/4" x 1 1/8"	0.05	1738	1	1 oz.
S484	Steering pinion	Steel	2.00	1423	1	12 oz.
S485	Steering arm—rear	Steel	4.00	1635	1	4 lb.
S486	Throttle control handle	Steel	15	1784	1	6 oz.
S487	Throttle con. lever conn'n.	Steel	10	1785	1	2 oz.
S488	Throttle control rod	Steel	20	1818	1	9 oz.
S489	Throttle control rod lever	Steel	25	1654	1	1 oz.
S490	Throttle con. rod lever pin	Steel	0.02	1786	4	1 oz.
S491	Spark control rod	Steel	35	1655	1	1 lb.
S492	Spark control rod support	Steel	15	1873	2	3 oz.
S493	Spark control rod lever	Steel	15	1875	1	1 oz.
S494	Control rod and priming rod plunger spring	Steel wire	0.05	1188	4	
S495	Control rod spring retainer	Steel	0.03	1150	2	
S496	Control rod spring ret. pin	3/8" x 1/2"	0.05	1781	2	
S497	Priming rod	Steel	15	2037	1	6 oz.
S498	Priming rod plunger	Steel	0.05	2199	1	
S499	Needle valve adjusting rod	Steel	20	2025	1	5 oz.
S500	Throttle control rod yoke	Steel	20	1915	1	1 oz.


RADIATOR

Part No.	Name	Specifications	List	Factory No.	Unit	Weight
S525	RADIATOR ASSEMBLY	Assembly	55.00	1847	1	127 lb.
S526	Radiator top tank & hining	Cast iron	17.50	2261	1	60 lb.
S527	Radiator top tank cover	Steel	50	1418	1	15 oz.
S528	Radiator cover bolt	1/2" x 13 tnds.	20	1422	1	5 oz.
S529	Radiator cover bolt nut	Steel	05	1836	1	9 oz.
S530	Radiator cover knob	Cast iron	05	1420	1	
S531	Radiator cover ring	Steel	03	1421	21	
S532	Radiator tank cap screw	3/8" x 1 1/8" x 28 tnds.	05	2345	1	2 oz.
S533	Radiator top tank stud	3/8" x 28 tnds & 3/8" — 16 th	05	2284	9	
S534	Radiator top tank stud nut	(Order S404)		2248		
S535	Radiator top tank rivet	1 1/8" x 3/8" split (Order S135)		1578	3	
S536	Radiator top tank cotton hining	Cotton webbing (Order S134)	1579	1405	1	2 oz.
S537	Radiator top tank connec-tion cap screw	Cast iron, 1/2" x 1 1/2" x 13 tnds. (Order S182)	4.00	560	1	9 lb.
S538	Radiator tank cap screw	1/2" x 1 1/2" x 13 tnds. (Order S182)	05	2346	4	2 oz.
S539	Radiator tank cap screw	1/2" x 28 tnds. (Order S404)	35	1822	1	28 lb.
S540	Radiator core assembly	Assembly	00	381	1	6 oz.
S541	Rad. overflow tube & gland	Brass tube	1	1933	1	10 oz.
S542	Radiator strip—front	Steel	15	1534	2	5 oz.
S543	Radiator strip—rear	Steel	3.50	1530	2	
S544	Radiator side member	Cast iron	05	1587	1	10 lb.
S545	Radiator bottom tank	Steel	05	1585	1	2 oz.
S546	Rad. bottom tank spacer	1/2" x 1 1/2" x 13 tnds.	10	2852	2	
S547	Radiator tank gasket	Vulcanoid	05	1900	1	2 oz.
S548	Radiator top tank gasket	Copper, asbestos	25	1566	1	1 oz.
S549	Rad. bottom tank gasket	Copper, asbestos	10	1598	1	
S550	Radiator fin	Steel	20	800	1	
S551	Radiator header—bottom	Steel	1.50	2486	1	
S552	Radiator header—top	Steel	1.50	2486	1	
S553	Radiator tube—small	1/8" x 1 1/2" x 20 tnds.	10	801	3	1 oz.
S554	Rad. conn. bolt nut	1/8" x 20 tnds. (Order S157)		583		
S555	Rad. conn. lock washer	1/8" std. (Order S158)		584	4	
S556	Rad. 1/2" lock washer	1/2" std. (Order S185)		2247	7	

FAN


Part No.	Name	Specifications	List	Factory No.	Unit	Weight
S575	FAN ASSEMBLY	Assembly	12.50	1846	1	6 lb.
S576	Fan shaft	Steel, 8 x 18 tnds. (Order S58)	1.25	1514	1	12 oz.
S577	Fan shaft retainer	Steel	0.60	2372	1	1 oz.
S578	Fan blade assembly	Steel	1.00	2462	1	5 oz.
S579	Fan pulley	Cast iron	1.75	2379	1	3 lb.
S580	Fan pulley gasket	Vulcanoid	05	2564	1	2 lb.
S581	Fan pulley dust ring	Steel stamping	05	2378	1	2 oz.
S582	Fan pulley plug	1/8" pipe plug	05	1502	1	5 oz.
S583	Fan drive pulley	Malleable iron	2.00	1575	1	2 oz.
S584	Fan drive pulley pin	Steel, 1 1/8" x 20 tnds.	05	2428	4	1 oz.
S585	Fan screw	Feet 1 1/2" dia.	15	1515	1	1 oz.
S586	Fan felt washer	18" inside dia., 1 1/4" out-	05	1516	1	1 oz.
S587	Fan felt retainer	Steel, No. 204 R. T.	3.00	1527	2	4 oz.
S588	Fan ball bearing	Steel, 1 1/8" x 3/8"	10	1496	1	2 oz.
S589	Fan washer	Special fabric, 1 1/8" x 3/8" thick	1.50	1467	1	6 oz.

\*Used on old style fans.



VAPORIZER

Part No.	Name	Specifications	List	Factory No.	Unit	Weight
S600	VAPORIZER ASSEMBLY COMPLETE		\$40.00	H175	1	11.0z.
S601	Mixer chamber assembly	Cast iron	14.00	H234-2	1	5 lb., 11.0z.
S602	Mixer chamber cover	Steel	7.00	H10797	1	3 lb., 11.0z.
S603	Mixer chamber screw	1/4" x 1 1/2" x 20 threads	.25	H10848	4	6.0z.
S604	Mixer chamber cover gasket	Copper, asbestos	10.00	H120-80	1	2.0z.
S605	Mixer chamber gasket	Die casting	80.00	H121-08	1	4.0z.
S606	AIR VALVE	Cast iron	10.00	H10850	1	2.0z.
S607	AIR VALVE GUIDE	Die casting	35.00	H121-04	1	3.0z.
S608	Throat retainer screw	Steel	1.00	H234-6	1	1.0z.
S609	Throat retainer screw	Steel	40.00	H234-6	1	1.0z.
S610	Shifter valve	Steel	1.00	H234-7	1	2.0z.
S611	Shifter valve	Steel	1.00	H234-7	1	2.0z.
S612	Shifter valve plunger	Steel	1.00	H234-8	1	2.0z.
S613	Shifter valve spring	Steel	1.00	H234-8	1	2.0z.
S614	SHUTTER VALVE COUPLER	Cast iron	25.00	H234-8	1	2.0z.
S615	SHUTTER VALVE COUPLER LEVER	Cast iron	85.00	H234-12	1	3.0z.
S616	AND VALVE ASSEMBLY	Steel	03.00	H220-93	1	1.0z.
S617	Strangling throttle plate	Steel	03.00	Sfd 27	1	2.0z.
S618	Strangling throttle plate pin	Brass	02.00	H234-11	1	2.0z.
S619	Throttle lever assembly	Steel	05.00	H12204	1	1.0z.
S620	Throttle plate	Steel	03.00	Sfd 170	1	1.0z.
S621	Throttle plate pin	Brass	20.00	H221-52	1	1.0z.
S622	Vapor tube packing nut	Brass	7.50	H11295	1	2 lb., 6.0z.
S623	Vapor tube packing	Brass	40.00	H234-17	1	1.0z.
S624	Float chamber assembly	Cast iron	3.00	H12205	1	1.0z.
S625	Float chamber cover	Steel	20.00	H12223	1	1.0z.
S626	Float chamber cover spring	Steel	05.00	H234-39	1	1.0z.
S627	Float chamber cover screw	Steel, 1/8" x 1/2" x 32	05.00	H234-40	1	1.0z.
S628	Float chamber cover spacer	Steel	05.00	H234-29	1	1.0z.
S629	Float chamber cover screw	Steel	35.00	H234-43	1	1.0z.
S630	Float chamber Welch plug	Copper	15.00	H13205	1	1.0z.
S631	Float	Brass	50.00	H234-46	1	1.0z.
S632	Float lever and clamp screw	Brass	50.00	H234-48	1	1.0z.
S633	Float valve pin	Brass	15.00	H234-49	1	1.0z.
S634	Float valve	Brass	15.00	H234-49	1	1.0z.
S635	Float valve seal	Brass	15.00	H234-49	1	1.0z.
S636	Adjusting needle point and valve assembly	Brass	65.00	H234-80	1	3.0z.
S637	Adj. needle point spring	Steel	15.00	H234-81	1	2.0z.
S638	Adj. needle point	Brass	50.00	H234-23	1	2.0z.
S639	Adj. needle point assembly	Brass	25.00	H234-67	1	1.0z.
S640	Hand speed nozzle	Copper, asbestos	05.00	H10849	1	1.0z.
S641	Hand speed nozzle	Copper, asbestos	20.00	H220-47	1	1.0z.
S642	Nozzle plug	Steel	15.00	H220-44	1	1.0z.
S643	Nozzle plug gasket	Copper, asbestos	05.00	H150-AX	1	1.0z.
S644	Diaphragm	Steel (Order S-583)	05.00	H10876	1	1.0z.
S645	Diaphragm gasket	Steel (Order S-583)	15.00	H234-27	1	21 lb.
S646	MANIFOLD & STUD ASSY	1/2" x 1 7/8" x 20	10.00	H234-30	2	2.0z.
S649	Manifold outlet and studs	(Order S-649)	2.25	H234-71	1	3 lb., 8.0z.
S650	Manifold outlet and studs	(Order S-649)	20.00	H234-31	4	2.0z.
S652	Exhaust manifold stud nuts	3/8" x 20	10.00	2919	4	1.0z.
S653	Vaporizer to cyl. stud nut	Steel	03.00	1044	1	1.0z.
S654	Vaporizer to cyl. stud nut	Steel	02.00	1621	1	1.0z.
S655	Manifold gland	Copper, asbestos	05.00	1043	6	8.0z.
S656	Manifold lock washer	Copper, asbestos	1.25	H234-73	1	1.0z.
S657	Manifold gasket	Copper, asbestos	10.00	H10837	1	1.0z.
S658	SHUNT VALVE LEVER ASSEMBLY	Steel	25.00	H10838	1	1.0z.
S659	Shunt valve lever stud	Steel	03.00	H234-52	2	1 lb., 6.0z.
S660	Shunt valve lever stud nut	Steel	2.00	2201	1	13.0z.
S661	SHUNT VALVE LEVER SHIMS	Steel	1.50	1987	1	3 lb., 2.0z.
S662	EXHAUST SHUNT VALVE ASSEMBLY	Steel	20.00	1990	1	7.0z.
S663	Exhaust tube assembly	Steel	80.00	H234-74	1	1 lb., 6.0z.
S664	Exhaust tube flange	Mell. iron	2.00	2201	1	13.0z.
S665	Exhaust tube	Steel, 2" dia.	1.50	1987	1	3 lb., 2.0z.
S666	Exhaust tube bracket	Steel	20.00	1990	1	7.0z.
S667	Exhaust tube bracket cap screw	1/4" x 1" x 28 threads (Order S-538)	2346		1	2.0z.
S668	Exhaust tube bracket cap screw	1/4" x 28 threads (Order S-104)	2348		1	2.0z.
S669	Mixer chamber stud—short	3/8" x 1 1/4" x 24	10.00	H234-58	1	2.0z.
S670	Mixer chamber stud—long	3/8" x 2 1/4" x 24	10.00	H234-57	1	2.0z.
S671	Float chamber stud	3/8" x 2 1/4" x 24	10.00	H234-28	1	1.0z.
S672	Mixer chamber stud nuts	3/8" x 24	05.00	H234-59	2	1.0z.
S673	Mixer chamber stud lock washer	3/8"	03.00	H234-60	2	1.0z.
S674	Float chamber stud nut	1 1/2" x 24	05.00	H10827	2	1.0z.
S675	Float chamber stud nut lock washer	Steel	03.00	H212-37	2	1.0z.
S676	Vapor tube complete	Steel	4.00	H234-51	2	12.0z.
S677	Fuel inlet elbow	Brass	13.00	H2619	2	1.0z.
S678	Fuel inlet elbow pack nut	Steel (Order S163)	40.00	1935	2	2.0z.
S679	Gasoline shut-off cock nut	Steel (Order S163)	1964		1	1.0z.



**AIR WASHER**

S700	AIR WASHER ASSEMBLY	Assembly	\$25 00	1994	1	50 lb.
S701	Air washer bowl	Cast iron	12 00	1879	1	30 lb.
S702	Air washer cover	Cast iron	3 25	1880	1	9 lb.
S703	Air washer cover gasket	Vellumoid	15	2196	1	8 02.
S704	Air washer drain plate	Galvanized iron	50	2546	1	6 02.
S706	Air washer drain plug	Steel stamping (Ord. S254)	1 00	1884	2	2 lb., 12 02.
S707	Air washer tube flange	Cast iron	05	1885	2	10 02.
S708	Air washer tube flange gasket	Copper, asbestos	05	2030	1	3 02.
S709	Air washer tube—large	Vellumoid	30	1882	1	4 02.
S710	Air washer tube—small	Sheet iron	30	1881	1	4 02.
S711	Air washer tube felt collar	Felt	15	2010	2	20 10.
	Air washer cover cap screw	$\frac{1}{2}$ " x $1\frac{1}{2}$ " x 28 thds. (Order S538)	23 46		4	

**SPARK COIL**

S714	Air washer flange cap screw	$\frac{1}{2}$ " x 28 thds. (Order S404)	05	608	4	
S716	Air washer bowl cap screw	$\frac{1}{2}$ " x $1\frac{1}{2}$ " x 13 thds. (Order S182)	560		2	
S717	Air washer float assembly	Assembly	2 75	2177	1	3 02.
S725	Coil box with cover	Old style	17 00	2012	1	14 lb.
S726	Coil box cover	New style	5 00	2360	1	4 lb.
S727	Coil box cover	Porcelain	1 00	2061	1	11 02.
S728	Coil box terminal sleeve	Porcelain	1 00	2355	1	11 02.
S729	Coil switch assembly (Same as T5010)		05	1914	4	1 02.
S731	Coil switch lever (Same as T5006)		75	2072	1	5 02.
S732	Coil unit	Steel	05	2017	1	2 lb.
S733	Coil vibrator bridge with contact point		3 00	1938	4	
S734	Coil vibrator armature with contact point		25	2131	4	1 02.
S735	Coil box support—R. H.	Malleable iron	20	2120	4	1 02.
S736	Coil box support—L. H.	Malleable iron	35	1954	1	12 02.
S737	Coil box stud nut	(Order S654)	35	1955	1	12 02.
	Coil box cap screw	$\frac{1}{2}$ " x $\frac{3}{4}$ " x 20 thds. (Order S714)	10	2921	4	
	Coil box cap screw nut	$\frac{1}{2}$ " x $\frac{3}{4}$ " x 20 thds. (Order S714)	29 20		4	
S739	Coil box cap screw nut	$\frac{1}{2}$ " x 20 thds.	03	564	4	

**WIRING**

S750	Spark plug wire Nos. 1 and 2 cyl.	Stranded wire	15	1210	2	1 02.
S751	Spark plug wire Nos. 3 & 4 cyl.	Stranded wire	15	1212	2	1 02.
S752	Magneto to coil wire	Stranded wire	20	1215	1	3 02.
S753	Commutator wire assembly 4-way cable		65	1214	1	9 02.
S754	Commutator cable support	Spring steel	10	2108	1	1 02.

**SEAT**

S775	Seat spring	Steel	1 50	1743	1	5 lb.
S776	Seat spring bolt and nut		1 50	1633	1	10 lb.
S777	Seat spring bolt lock washer		05	2461	1	2 02.
S779	Seat spring cap screw	$\frac{3}{4}$ " x 10" x 13 thds.	20	2247	1	5 02.
S780	Seat spring cap screw lock washer	$\frac{3}{4}$ " std.	03	2191	1	1 02.

**FOOT BRACKET**

S790	Foot bracket gasket	Cast iron	1 20	1749	1	4 lb.
S791	Foot bracket cap screw	Paper	05	1900	1	
		$\frac{1}{2}$ " x $1\frac{1}{2}$ " x 13 thds. (Order S182)	560		6	2 02.


**TOOLS**

S800	Tool box assembly		2 00	1870	1	3 lb.
	Tool box cap screw	$\frac{1}{2}$ " x $1\frac{1}{2}$ " x 13 thds. (Order S243)	1917		2	2 02.
S802	Tool box washer	Steel	05	1992	2	
S803	Pliers	8"	55	1983	1	10 02.
S804	Wescott wrench	9" Keystone	1 60	1984	1	8 02.
S805	Screw driver	9 $\frac{1}{2}$ "	50	1985	1	10 02.
S806	Combination spark plug & crankcase bolt wrench (Same as T2335)		50	2371	1	4 02.
S807	Wrench for $\frac{1}{4}$ " and $\frac{3}{8}$ " nut	Steel	35	2075	1	3 02.
S808	Wrench for $\frac{1}{2}$ " cap screw	Steel	25	2372	1	4 02.
S809	Rear wheel wrench	Steel	75	2306	1	2 lb.
S810	Rear wheel bar	Steel	1 00	2007	1	2 lb.
S811	Front hub cap wrench	Steel	1 00	2197	1	2 lb., 6 02.

**BELT PULLEY ATTACHMENT**

S900	PULLEY ATTACHMENT COMPLETE		45 00	2451		
S901	Pulley drive gear (and shaft)		16 00	1389		
S902	Pulley drive gear housing		5 50	2429		
S903	Drive pulley assembly		9 35	2466		
	Pulley drive gear nut	(Order S68)	686			

\*Used on Tractors up to No. 31807.






Plate No. 12




Plate No. 13



