

# Fordson

TRADE MARK

## TRACTOR

### PARTS PRICE LIST

Effective December 1, 1921

*Ford Motor Company*  
DETROIT, MICH.

# Fordson

TRADE MARK

## TRACTOR

### PARTS PRICE LIST



Effective December 1, 1921


Prices subject to change without notice

*Ford Motor Company*  
DETROIT, MICH.

# Fordson Tractor

## PARTS PRICE LIST

Effective December 1, 1921



Motor Number here

### Instructions for Ordering Parts

1. Always give number of Tractor; it is stamped on the motor on the right-hand side. (See Plate above.)
2. Always give number and name of each part ordered.
3. All prices net f. o. b. Branch, Factory or Dealer.
4. Specify whether shipments are to be forwarded by mail, express or freight.
5. Orders for parts should be written separately from correspondence pertaining to other matters.
6. Parts should be ordered from Dealer.

*Ford Motor Company*

DETROIT, MICH.

# Price List of Parts Fordson Tractor

Catalog No. Name Specifications List Factory No. Unit Weight

## REAR AXLE

S1	Rear axle shaft	Steel	\$ 7 00	1305	2	23 lb.
S2	Rear axle housing—R. or L.	Cast iron	16 00	1674	2	67 lb.
S3	Rear axle housing cap screw	$\frac{3}{8}$ " x 1 $\frac{3}{8}$ " x 12 thds.	05	1648	24	3 oz.
S4	Rear axle housing gasket	Paper	05	1895	2	2 lb.
S5	Rear axle roller bearing	Steel	2 25	2035	2	6 oz.
S6	Rear axle roller bearing sleeve	Steel	90	2036	2	5 oz.
S7	Rear axle shaft bearing cover	Felt	05	1630	2	5 oz.
S8	Rear axle shaft felt	Steel	10	1632	2	5 oz.
S9	Rear axle shaft felt retainer	Steel	15	1629	2	5 oz.
S10	Rear axle housing plug	$\frac{1}{2}$ " pipe plug	05	820	2	1 oz.
S11	Differential gear	Steel	6 00	1340	2	6 lb., 6 oz.
S12	Differential gear lock ring	Steel	03	1340	2 Pr.	1 oz.
S13	Differential pinion spider	Steel	3 50	1315	1	5 lb., 6 oz.
S14	Differential pinion	Cast iron	2 40	1313	4	1 lb., 6 oz.
S15	Differential housing	Steel	6 00	1314	2	20 lb.
S16	Differential housing bolt	$\frac{1}{2}$ " x 2 $\frac{1}{8}$ " x 20 thds.	20	1152	12	2 oz.
S17	Dif. housing bolt nut	$\frac{3}{4}$ " dia. inside, 6 $\frac{1}{8}$ " dia. outside, No. 218 R. T.	10	567	12	2 oz.
S18	Differential housing ball bearing	Bronze—35 teeth	17 50	1526	2	5 lb.
S19	Worm gear	Bronze—51 teeth	28 00	1294	1	30 lb.
S20	Worm gear	Steel—2 lead	28 00	1294B	1	20 lb.
S21	Worm	Steel—3 lead	18 00	1528	1	20 lb.
S21B	Worm	Steel—3 lead	18 00	1528B	1	20 lb.
S22	Worm shaft thrust ball bearing	$2\frac{1}{8}$ " dia. inside, 5 $\frac{1}{2}$ " dia. outside	24 00	1524	1	5 lb., 8 oz.
S22C	Worm shaft thrust roller bearing	Timken	24 00	1524T	1	5 lb., 8 oz.
S23	Worm shaft thrust bearing spacer	Large	75	2645	1	1 lb.
S24	Worm shaft thrust bearing spacer	Small	60	2646	1	1 lb.
S25	Worm nut	$1\frac{1}{2}$ " x 12 thds.	80	1406	1	1 lb.


## FRONT AXLE

S80	FRONT AXLE ASSEMBLY	Steel	40 00	1729	1	70 lb.
S81	Front axle—with bushing	Steel	12 00	2272	1	28 lb.
S82	Front axle trunnion	Steel	60	1450	1	1 lb., 1 oz.
S83	Front axle trunn. bushing	Steel	10	1451	1	3 oz.
S84	RADIUS ROD—WITH BUSHING	Steel	3 20	2273	1	9 lb.
S85	Radius rod bushing	Steel	05	1482	1	2 oz.
S86	Radius rod pin	$\frac{3}{8}$ " x 3 $\frac{1}{8}$ "	15	1483	1	8 oz.
S87	Radius rod bolt	$\frac{3}{8}$ " x 2 $\frac{1}{2}$ " x 18 thds.	15	1337	2	3 oz.
S88	Radius rod bolt nut (Same as T2598)	$\frac{3}{4}$ " x 18 thds.	05	723	2	1 oz.
S89	SPINDLE BODY	Steel	6 00	2309	2	7 lb.
S90	Spindle body bushing	Steel	10	1606	2	2 oz.
S91	Spindle pin	1" x 6 $\frac{1}{2}$ "	1 00	1607	2 Pr.	1 lb., 6 oz.
S92	Spindle pin washer	Steel	05	1609	4	1 oz.
S93	Front wheel dust ring	Steel	15	2509	2	4 oz.
S94	Spindle pin grease cup	Pkt. (used on 1st 35000 trs.)	15	1770	2	3 oz.
S95	Spindle felt	Steel (used on 1st 35000 trs.)	10	1640	2	2 oz.
S96	Spindle felt retainer	Steel	05	1608	2	2 oz.
S97	Spindle washer	Steel	03	1611	2	1 oz.
S98	Spindle nut	$\frac{3}{4}$ " x 16 thds.	10	686	2	2 oz.
S99	SPINDLE ARM FRONT—RIGHT—ASSEMBLY	Steel	2 00	2311	1	2 lb.
S70	SPINDLE ARM FRONT—LEFT—ASSEMBLY	Steel	3 50	2312	1	3 lb., 4 oz.
S71	Spindle arm bushing	Steel (Order S67)	06	1328	1	1 oz.
S72	Spindle arm washer	$\frac{3}{4}$ " x 16 thds (Order S68)	1611	686	2	2 oz.
S73	Spindle arm nut	Steel	2 50	1586	1	6 lb.
S74	Spindle connecting rod	Steel	10	1339	2	4 oz.
S75	Spindle conn. rod yoke pin	$\frac{1}{2}$ " x 2 $\frac{7}{8}$ "	45	1614	2	7 oz.
S76	Spindle arm ball nut	Steel	1614	723	2	1 oz.
S77	Spindle arm ball nut	$\frac{3}{8}$ " x 18 (Order S58)	4 00	2224	1	5 lb., 10 oz.
S78	STEERING GEAR CONN. ROD ASSEMBLY	Steel	2 00	1809	1	3 oz.
S79	Steering gear conn. rod cap bolt	Steel	35	427	2	3 oz.
S80	Steering gear conn. rod cap bolt	Steel	10	1733	4	2 oz.
S81	Steering gear conn. rod cap nut	$\frac{1}{2}$ " x 1 $\frac{1}{2}$ " x 20 thds.	05	1999	4	2 oz.
S82	Steering gear conn. rod cap nut	$\frac{1}{2}$ " x 20 thds.	05	1999	4	2 oz.

## WHEELS

S100	FRONT WHEEL ASSEMBLY	Steel	18 00	2039	2	66 lb.
S101	Front wheel hub cap	Steel	23	1003	2	1 lb., 2 oz.
S102	Front wheel spindle bearing	Steel	75	2600	2	7 oz.
S103	Front wheel spindle bearing outside—cup	$2\frac{1}{8}$ " dia. outside, No. 14283	1 20	2601	2	7 oz.
S104	Front wheel spindle bearing outside—cone and roller	$1\frac{1}{8}$ " dia. inside, No. 14118	1 50	2602	2	14 oz.
S105	Front wheel spindle bearing inside—cup	$3\frac{1}{2}$ " outside dia., No. 352	2 50	2603	2	12 oz.
S106	Front wheel spindle bearing inside—cone and roller	$1\frac{1}{8}$ " inside dia., No. 357	10	2574	2	3 oz.

\*Beginning with Tractor No. 32764.






Plate No. 2




Plate No. 3

**WHEELS—Continued**

S127	Front wheel ball bearing	1 1/8" dia. inside, 2 1/8" dia. outside, No. 306 R. T.	\$ 5 00	1553	2	14 oz.
S108	Front wheel ball bearing	1 1/8" dia. inside, 3 1/8" dia. outside, No. 308 R. T.	5 50	1552	2	1 lb., 7 oz.
S120	REAR WHEEL ASSEMBLY—INSIDE	Less bushing	45 00	2223	1	315 lb.
S121	REAR WHEEL ASSEMBLY—LEFT	Less bushing	45 00	1777	1	315 lb.
S122	Rear wheel hub cap screw	3/4" x 2 1/8" x 10 thds.	20 00	790	8	7 oz.
S123	Rear wheel bushing	Steel	5 00	1303	2	7 1/2 lb., 8 oz.
S124	Rear wheel cleat—right		90 00	675	14	8 lb.
S125	Rear wheel cleat—left		90 00	676	14	8 lb.
S128	Rear wheel cleat rivet	1/2" x 1 1/2" Iron rivet	02 00	635	112	1 oz.

**KEROSENE TANK**

S150	KEROSENE TANK ASSEMBLY	Terne plate	12 00	1618	1	25 lb.
S151	Kerosene tank cap (same as T2901)	Die casting	10 00	1572	1	3 oz.
S152	Kerosene tank strap—front		1 00	1926	1	1 lb., 8 oz.
S153	Kerosene tank strap—rear		1 00	1927	1	1 lb., 8 oz.
S154	Kerosene tank strap lining	Cotton webbing	10 00	1579	2	2 oz.
S155	Kerosene tank strap rivet	Copper 1/8" x 5/8" split rivet	01 00	1578	6	2 oz.
S156	Kerosene tank strap lock washer	Steel	01 00	1651	4	2 oz.
S157	Kerosene tank strap nut	1/2" x 20 thds.	05 00	584	4	2 oz.
S158	Sediment bulb assembly	Including pet cock	1 00	1622	1	1 lb., 2 oz.
S159	Sediment bulb flange		30 00	2102	1	1 lb.
S160	Sediment bulb flange gasket		03 00	2112	1	1 lb.
S161	Sediment bulb pet cock		15 00	1930	1	2 oz.
S162	Kerosene feed tube	Brass tubing	20 00	1964	1	2 oz.
S163	Kerosene feed tube pack nut (Order S163)		05 00	1964	1	1 oz.
S164	Sediment bulb pack nut (Same as T2910)	Steel, 1/2" x 18 thds.	02 00	2230	1	1 oz.

**GASOLINE TANK**


S175	GASOLINE TANK ASSEMBLY	Assembly	4 00	2026	1	12 lb.
S176	Gasoline tank (Same as T2901)	Cast iron	3 50	2024	1	11 lb.
S178	Gasoline tank plug gasket	Die casting (Order S151)	1572		1	3 oz.
S179	Gasoline tank pet cock	Lead	50 00	2077	1	4 oz.
S181	Gasoline feed tube	Brass (Order S161)	03 00	2530	1	2 oz.
S182	Gasoline feed tube pack nut (Order S163)	Copper tubing	25 00	1931	1	2 oz.
S183	Gasoline tank screw lock washer	1/2" x 1 1/4" x 13	10 00	1964	2	2 oz.

**MOTOR**

S200	CYLINDER ASSEMBLY	Cast iron	60 00	2260	1	195 lb.
S200C	Cylinder assembly (rebored)	Cast iron	20 00	2260C	1	52 lb.
S201	Cylinder head	Cast iron	14 00	133	1	4 oz.
S202	Cylinder head cap screw	1/2" x 3/8" x 13 thds.	15 00	1379	22	11 oz.
S203	Cylinder head gasket	Copper, asbestos	90 00	157	1	2 oz.
S204	Cylinder head water conn. gasket	Copper, asbestos	20 00	1567	1	2 oz.
S205	Cylinder oil pipe	Steel, 1 1/4" dia.	03 00	1544	1	7 oz.
S206	Cylinder front cover	Steel	55 00	1816	1	45 lb.
S207	Cylinder front cover bolt	Cast iron, 1 1/2" x 20 thds.	12 00	1381	1	2 oz.
S208	Cylinder front cover nut	1/2" x 20 thds.	10 00	583	2	2 oz.
S210	Cyl. front cover drain cock	1/2" x 20 thds. (Order S157)	50 00	1769	2	7 oz.
S211	Cyl. front cover felt	1/2" x 1 1/4" x 13 thds. (Order S182)	05 00	716	2	2 oz.

**Cyl. front cover screw lock**

S213	washer	1/2" std. (Order S183)	05 00	2247	3	1889
S214	Cast iron	Yellumoid	4 00	2264	1	3 lb., 15 oz.
S215	Cast iron	0.05" oversize	4 00	2264D	4	3 lb., 15 oz.
S216	Cast iron	0.05" oversize	4 00	2264C	4	3 lb., 15 oz.
S216B	Cast iron	0.037" oversize	4 00	2264E	4	3 lb., 15 oz.
S217	Cast iron	Steel	80 00	1168	4	8 oz.
S218	Cast iron	0.05" oversize	25 00	363D	12	2 oz.
S219	Cast iron	0.037" oversize	25 00	363C	12	2 oz.
S219B	Cast iron	Does not include S223	5 00	2263	4	3 lb., 10 oz.
S220	Cast iron	Under size (Use with S226B)	5 00	2263A	4	3 lb., 10 oz.
S221	Cast iron	1/2" x 20 thds.	15 00	1378	8	2 oz.
S222	Cast iron	1/2" x 20 thds.	15 00	1380	8	2 oz.
S223	Cast iron	1/2" x 1 1/4" x 20 thds.	20 00	117	4	2 oz.



**MOTOR—Continued**

S224	Connecting rod shim	Brass, .003"	\$ 0 01	1070	24	
S225	Conn. rod emergency shim	Brass, .0015"	01	2842	1	40 lb.
S226	CRANKSHAFT	Steel	30 00	1145	1	40 lb.
S226B	Crankshaft (reground)	Steel	16 00	1145A	1	40 lb., 14 oz.
S227	Crankshaft time gear	Steel	1 60	144	1	1 lb., 14 oz.
S223	Crankshaft key (Same as T3548)	Steel	05	589	1	
S229	Crankshaft bearing cap	Steel	2 00	589	2	2 lb., 6 oz.
S229B	Crankshaft bearing cap No. 3	Undersize (Use with S226B)	2 00	157A	2	2 lb., 6 oz.
S230	Crankshaft bearing cap No. 3	Under-size (Use with S226B)	2 00	285	1	2 lb., 10 oz.
S230B	Crankshaft bearing cap shim	Tin plate, .006"	2 00	285A	1	2 lb., 10 oz.
S231	Crankshaft bearing cap screw	Steel, $\frac{1}{8}$ " x $2\frac{1}{2}$ " x 12 thds.	01	1069	30	
S232	Crank'ff bearing cap emer.	Brass, .003"	20	565	1	4 oz.
S233	gency shim	Steel	01	2446	1	13 lb.
S234	CAMSHAFT	(Order S228)	13 00	446	1	13 lb.
S235	Camshaft key	Cast iron	2 40	589	1	4 lb., 12 oz.
S236	Camshaft gear	Cast iron	15	143	1	3 oz.
S237	Camshaft nut—large	1" x 14 thds.	05	392	1	1 oz.
S238	Camshaft nut—small (Same as T3220)	$\frac{1}{2}$ " x 18 thds.	05	991	1	1 oz.
S239	Camshaft time gear rivet (Same as T3207)	Steel, $\frac{1}{8}$ " x $\frac{11}{16}$ "	01	1907	1	
S240	Camshaft time gear cap	Steel	05	1908	1	
S241	Valve push rod	Steel	35	1041	8	5 oz.
S242	Valve (intake and exhaust)	Assembly	20	109	8	5 oz.
S242B	Valve (intake and exhaust)	Assembly	20	109A	8	
S243	Valve spring cover screw	$\frac{1}{2}$ " x $\frac{11}{16}$ " x 13 thds.	10	1917	2	2 oz.
S244	Valve bushing	Cast iron	25	112	8	3 oz.
S245	Valve spring	3 $\frac{1}{4}$ " long	10	397	8	3 oz.
S246	Valve spring seat	Steel	03	398	8	
S247	Valve spring seat pin	Steel	01	712	1	2 lb., 1 oz.
S248	Valve spring cover	Steel	30	1717	1	
S249	Valve spring cover gasket	Cast iron	10	1783	1	62 lb.
S250	CRANKCASE	Cast iron	17 00	1351	1	
	Crankcase bolt	$\frac{1}{2}$ " x $1\frac{1}{2}$ " x 20 thds. (Order S298)	583		18	1 oz.
	Crankcase pet cock	$\frac{1}{8}$ " x 20 thds. (Order S157)	584		2	2 oz.
S254	Crankcase drain plug gasket (Order S707)	Brass (Order S161)	15	178	1	3 oz.
S278	Com. brush assembly	Steel, No. 10 x 32 thds. (Use T3165)	02	1922	8	3 oz.
S279	Com. case spring	Spring steel	05	1750	1	2 oz.
S280	Com. case spring stud	Steel	15	2022	1	4 oz.
S282	Com. control rod	Steel (Order S157)	10	584	2	2 oz.
S257	Crankcase gasket	Paper	05	1890	1	1 oz.
S258	Crankcase gasket	per pair	20	2015	1	4 oz.
S259	Breather strainer	Wire cloth	10	2016	1	1 oz.

**COMMUTATOR**

S275	COM. ASSEMBLY WITH BRUSH	(Use T3221)	1 80	2023	1	14 oz.
S276	Com. case with fibre T3210)	(Use T3221)	60	2002	1	10 oz.
S277	Com. lock nut (Same as T3210)	Steel, No. 10 x 32 thds.	02	1922	8	
S278	Com. brush assembly	Steel, No. 10 x 32 thds. (Use T3165)	02	1922	8	3 oz.
S279	Com. case spring	Spring steel	05	1750	1	2 oz.
S280	Com. case spring stud	Steel	15	2022	1	4 oz.
S282	Com. control rod	Steel (Order S157)	10	584	2	2 oz.


**MAGNETO**

S300	MAGNETO COIL ASSEMBLY	Tin plate	8 00	1841	1	15 lb., 4 oz.
S301	Magneto coil support shim	Cast iron	01	948	3	
S302	PRIMARY CONTACT ASSEMBLY	Assembly	10	1260	3	2 oz.
S303	Primary insulating lock nut (Same as T3261B)	Assembly	50	177	1	2 oz.
S304	Flywheel magnet (16 per set) (Same as T3276B)	No. 12 x 24 thds. Cast iron	01	179	2	112 lb.
S305	Flywheel magnet (16 per set) (Same as T3276B)	No. 12 x 24 thds. Cast iron	15 00	1445	1	112 lb.
S307	Flywheel magnet clamp (Same as T3277)	Steel	6 00	2206	1	12 lb.
S308	Flywheel magnet clamp screw	Steel	03	2207	16	1 oz.
S309	Flywheel magnet support (Same as T3257)	Brass	05	518	16	1 oz.
S310	Flywheel magnet bolt (Same as T3254)	Aluminum	05	520	16	
S311	Flywheel magnet washer (Same as T3255B)	Steel, $\frac{3}{8}$ " x $1\frac{1}{2}$ " x 24 thds.	03	576	16	1 oz.
S313	Flywheel stud nut	Steel, $\frac{1}{2}$ " inside dia., $2\frac{1}{2}$ " outside dia., No. 306 R. T. (Order S107)	01	805	16	
	Flywheel ball bearing	Steel, $\frac{1}{2}$ " x 20 thds. (Order S18)	35	1553	1	14 oz.
	Flywheel stud nut	Steel, $\frac{1}{2}$ " x 20 thds. (Order S18)	451	567	6	7 oz.

**TRANSMISSION**

S325	TRANSMISSION HOUSING, Cast iron		35 00	1673	1	205 lb.
S326	Trans. housing gasket	Paper	05	1894	1	
S327	Trans. housing plate	Semi-steel	4 00	1678	1	15 lb.
S328	Trans. housing plate gasket	Paper	03	1898	1	

\* Sold in sets only.








Plate No. 7




Plate No. 8

DASH—Continued

S443	Dash split rivet.....	$\frac{1}{8}$ " x $\frac{3}{8}$ " (Order S155)	1578	4	
S444	Dash cap screw.....	$\frac{1}{8}$ " x $\frac{1}{2}$ " x 12 thds. (Order S853)	587	2	
S445	Dash gasket.....	Vellumoid.....	1897	1	
S446	CLUTCH LEVER BRACKET ASSEMBLY.....	Cast iron.....	1789	1	
S447	Church lever bracket.....	$\frac{1}{2}$ " x $\frac{1}{4}$ " x 13 thds. (Order S302)	1758	5 lb.	
S448	Church lever.....	Steel.....	1260	4	2.02.
S449	Church lever pin.....	$\frac{1}{8}$ " x 2 1/2" (Order S75)	1760	1	2 lb., 2.02.
S450	Church release plate.....	Bronze.....	1339	1	4.02.
S451	Church pedal.....	Steel.....	1759	1	15.02.
S452	Church pedal cam.....	Steel.....	1587	1	4 lb., 7.02.
S453	Church pedal cam retainer.....	Steel.....	1761	1	7.02.
S454	Church pedal spring.....	Steel wire.....	1762	1 Pt.	1.02.
S455	Church pedal spring.....	Steel wire.....	1853	1	

STEERING GEAR


S475	STEERING WHEEL ASSEMBLY.....	Maplewood.....	1747	3	5 lb., 7.02.
S476	Steering wheel rim.....	Steel.....	1510	1	1 lb., 15.02.
S477	Steering wheel rim screw.....	Cast iron.....	1734	4	3 lb., 8.02.
S478	Steering wheel spider.....	Steel.....	1748	1	3 lb., 11.02.
S479	Steering shaft.....	Steel.....	1437	1	1.02.
S480	Steering shaft grease cup.....	(Use T2545)	1772	1	1.02.
S481	Steering shaft nut.....	$\frac{3}{8}$ " x 18 thds.	1745	1	1 lb., 15.02.
S482	Steering sector.....	Malleable iron.....	1731	1	1 lb., 15.02.
S483	Steering sector pin.....	$\frac{1}{4}$ " x 1 1/2"	1738	1	12.02.
S484	Steering pinion.....	Steel.....	1423	1	4 lb., 12.02.
S485	Steering arm—rear.....	Steel.....	1635	1	6.02.
S486	Throttle control handle.....	Steel.....	1784	1	2.02.
S487	Throttle con. lever connec'n.....	Steel.....	1785	1	9.02.
S488	Throttle control rod.....	Steel.....	1818	1	1.02.
S489	Throttle control rod lever.....	Steel.....	1654	2	1.02.
S490	Throttle con. rod lever pin.....	$\frac{1}{8}$ " x $\frac{3}{4}$ "	1786	4	1 lb., 3.02.
S491	Spark control rod.....	Steel.....	1685	1	3.02.
S492	Spark control rod support.....	Steel.....	1873	1	1.02.
S493	Spark control rod lever.....	Steel (Use T3530)	1875	1	
S494	Control rod and priming rod plunger spring.....	Steel wire.....	1188	3	
S495	Control rod spring retainer.....	Steel.....	1150	2	
S496	Control rod spring ret. pin.....	$\frac{1}{8}$ " x $\frac{1}{2}$ "	1781	2	
S497	Priming rod.....	Steel.....	2037	1	6.02.
S497B	Priming rod.....	Steel.....	2037B	1	
S498	Priming rod plunger.....	Steel.....	2199	1	5.02.
S499	Needle valve adjusting rod.....	Steel.....	2025	1	1.02.
S500	Throttle control rod yoke.....	Steel.....	1915	1	

RADIATOR

S526	Radiator top tank & lining.....	Cast iron.....	2261	1	60 lb., 15.02.
S527	Radiator top tank cover.....	Steel.....	1418	1	15.02.
S528	Radiator cover bolt.....	$\frac{1}{2}$ " x 13 thds.	1422	1	5.02.
S529	Radiator cover bolt nut.....	Steel.....	1836	1	9.02.
S530	Radiator cover knob.....	Cast iron.....	1420	1	
S531	Radiator cover ring.....	Steel.....	1421	1	
S532	Radiator tank cap screw.....	$\frac{1}{2}$ " x $\frac{11}{8}$ " x 28 thds.	2345	21	
S533	Radiator top tank stud nut.....	$\frac{3}{8}$ " x 28 thds & $\frac{3}{4}$ "—16 th (Order S404)	2284	9	
S534	Radiator top tank rivet.....	$\frac{1}{4}$ " x $\frac{5}{8}$ " split (Order S155)	2348	3	
S535	Radiator top tank cotton lining.....	Cotton webbing (Order S154)	1578	3	
S536	Radiator top tank connec'n.....	Cast iron.....	1579	1	2.02.
S537	Radiator top tank connec'tion cap screw.....	$\frac{1}{2}$ " x $\frac{1}{4}$ " x 13 thds. (Order S182)	1405	1	
S538	Radiator tank cap screw.....	$\frac{1}{2}$ " x 1" x 28 thds. (Order S182)	560	4	2.02.
S539	Radiator tank cap screw nut.....	$\frac{1}{2}$ " x 1" x 28 thds. (Order S182)	2346	16	
S540	Radiator core assembly.....	Assembly.....	2348	46	
S541	Rad. overflow tube & gland.....	Brass tube.....	381	1	28 lb., 6.02.
S542	Radiator strip—front.....	Steel.....	1822	1	10.02.
S543	Radiator strip—rear.....	Steel.....	1534	2	5.02.
S544	Radiator side member.....	Cast iron.....	1530	2	
S545	Radiator bottom tank.....	Steel.....	1387	2	9 lb., 10 lb., 2.02.
S546	Rad. bottom tank spacer.....	Steel.....	1583	1	
S547	Rad. bottom tank cap screw.....	$\frac{1}{2}$ " x $\frac{1}{2}$ " x 13 thds.	2552	3	2.02.
S548	Radiator top tank gasket.....	Vellumoid.....	1901	2	2.02.
S549	Radiator top tank gasket.....	Copper, asbestos.....	1568	2	2.02.
S550	Rad. bottom tank gasket.....	Copper, asbestos.....	1569	1	1.02.
S551	Radiator fin.....	Steel.....	798	1	
S552	Radiator header—bottom.....	Steel.....	800	1	
S553	Radiator header—top.....	Steel.....	800	1	
S554	Radiator tube—small.....	$\frac{1}{4}$ " x $\frac{1}{2}$ " x 20 thds.	2486	1	
S555	Radiator tube—small.....	$\frac{1}{4}$ " x $\frac{1}{2}$ " x 20 thds.	801	1	

FAN

S575	FAN ASSEMBLY.....	Assembly.....	10 00	1	6 lb., 1846.
S576	Fan shaft.....	Steel.....	1 00	1	1514.
S577	Fan shaft nut.....	$\frac{3}{8}$ " x 18 thds. (Order S58)	723	1	1.02.



Catalog No.	Name	Specifications	List	Factory No.	Unit	Weight
-------------	------	----------------	------	-------------	------	--------


FAN—Continued

S878	Fan blade retainer	Steel	45	2377	1	5 oz.
S879	Fan blade assembly	Steel	1 00	2462	1	3 lb.
S880	Fan pulley	Cast iron	1 40	2379	1	2 lb.
S881	Fan pulley gasket	Vellumoid	03	2564	1	
S882	Fan pulley dust ring	Steel stamping	05	2575	1	2 oz.
S883	Fan pulley plug	1/8" pipe plug	05	2378	1	
S884	Fan drive pulley	Malleable iron	1 60	1502	1	3 lb.
S885	Fan drive pulley pin	Steel	05	1575	1	5 oz.
S886	Fan screw	1/2" x 1 1/2" x 20 thds.	05	2428	1	1 oz.
S887	Fan felt washer	Felt 1 1/2" dia.	05	1515	1	1 oz.
S888	Fan felt washer	1 1/2" inside dia., 1 1/4" out-side dia., No. 204 R. T.	2 40	1527	2	4 oz.
S889	Fan ball bearing	Steel, side dia., 1 1/8" x 3/8"	05	1496	1	2 oz.
S890	Fan washer	Steel, side dia., 1 1/8" x 3/8"	2 40	1527	2	4 oz.
S891	Fan belt	Special fabric, 1 1/8" x 3/8" thick	75	1467	1	6 oz.

VAPORIZER

S600... VAPORIZER ASSEMBLY COMPLETE

S601	Mixer chamber assembly	Cast iron	30 00	1175	1	5 lb.
S602	Mixer chamber	Cast iron	10 00	H234-1	1	10 oz.
S603	Mixer chamber cover	Steel	20	H234-2	1	3 lb.
S604	Mixer chamber screw	1/4" x 1 1/2" x 20 thds.	05	H1084	4	6 oz.
S605	Mixer chamber cover gasket	Copper, asbestos	10	H221-58	1	
S606	Mixer chamber gasket	Copper, asbestos	70	H1085-60	1	2 oz.
S607	AIR VALVE	Die casting	50	H221-68	1	3 oz.
S608	Air valve guide	Die casting	25	H220-65	1	1 oz.
S609	Throat choke tube	Steel	65	H234-4	1	
S610	Throat retainer screw	Steel	20	H234-9	1	
S611	Shifter valve	Steel	10	H220-78	1	
S612	Shifter valve button	Steel	10	H234-7	1	
S613	Shifter valve plunger	Steel	25	H234-8	1	2 oz.
S614	Shifter valve spring	Steel	25	H234-8	1	2 oz.
S615	Shifter valve cover	Cast iron	65	H234-12	1	3 oz.
S616	STRANGLING THROTTLE LEVER AND VALVE ASSEMBLY	Steel	05	H220-93	1	
S617	Strangling throttle plate	Steel	03	S6d-27	1	
S618	Strangling throttle plate pin	Brass	1 00	H234-11	1	2 oz.
S619	Throttle lever assembly	Steel	05	H1220-4	1	1 oz.
S620	Throttle plate pin	Brass	03	S6d-170	1	1 oz.
S621	Throttle plate pin	Brass	10	H21-52	1	1 oz.
S622	Vapor tube pack nut	Brass	10	H11295	1	
S623	Vapor tube packing	Brass	10	H14208	1	
S623B	Vapor tube packing	Brass	03	H14207	1	
S624	Vapor tube bushing	Cast iron	6 80	H234-75	1	6 oz.
S625	Float chamber assembly	Cast iron	2 20	H234-17	1	2 lb.
S626	Float chamber cover	Steel	10	H12205	1	1 oz.
S627	Float chamber cover spring	Steel	03	H234-39	1	
S628	Float chamber cover screw	1/8" x 1/2" x 32	05	H234-40	1	
S629	Float chamber cover spacer	Steel	03	H234-29	1	
S630	Float chamber Welch plug	Steel stamping	05	H234-43	1	1 oz.
S631	Float chamber and clamp screw	Copper	35	H13205	1	
S632	Float lever	Brass	05	H234-46	1	
S633	Float lever pin	Brass	15	H234-48	1	
S634	Float valve	Brass	15	H234-83	1	1 oz.
S635	Float valve seat	Brass	15	H234-49	1	1 oz.
S636	Adjusting needle point and valve assembly	Brass	65	H234-80	1	3 oz.
S637	Adj. needle point spring	Steel	05	H234-81	1	
S638	Adj. needle bushing	Steel	15	H234-23	1	
S639	Adj. needle point assembly	Brass	45	H234-23	1	2 oz.
S640	Adj. needle pilot	Brass	50	H234-56	1	1 oz.
S641	High and low speed nozzle	Brass	25	H1084-9	1	1 oz.
S642	Nozzle gasket	Copper, asbestos	05	H220-47	1	1 oz.
S643	Nozzle plug	Steel	15	H220-43	1	
S644	Nozzle plug gasket	Copper, asbestos	05	H220-44	1	1 oz.
S645	Drain plug	Brass	15	H220-44	1	
S646	Pipe plug	Steel (Order S583)	03	H1087-6	1	
S647	Float chamber gasket	Steel	12 00	H234-27	1	21 lb.
S648	MANIFOLD & STUD ASSB.	1/2" x 1 1/2" x 20	10	H234-76	1	2 oz.
S649	Exhaust manifold studs	1/2" x 1 1/2" x 20	1 80	H234-30	2	8 oz.
S650	Manifold outlet and studs	(Order S649)	15	H234-31	2	2 oz.
S651	Exhaust manifold stud nuts	1/2" x 20	10	2919	4	
S652	Vaporizer to cyl. stud	(Use T254f)	05	2920	4	
S653	Vaporizer to cyl. stud nut	Steel	03	1044	6	1 oz.
S654	Manifold lock	Steel	02	1621	4	
S655	Manifold lock washer	Copper, asbestos	05	1043	6	
S656	Manifold gasket	Copper, asbestos	05	1043	6	
S657	SHUNT VALVE LEVER ASSEMBLY	Steel	1 00	H234-73	1	8 oz.
S658	Shunt valve lever stud	Steel	10	H1083-7	1	
S659	Shunt valve lever stud nut	Brass	15	H1083-8	1	1 oz.
S660	Shunt valve lever shims	Steel	03	H234-52	2	
S661	EXHAUST SHUNT VALVE ASSEMBLY	Steel	60	H234-74	1	1 lb., 6 oz.
S662	Exhaust tube assembly	Steel	1 75	2201	1	



\*Used on old style fans.

VAPORIZER—Continued

S664	Exhaust tube flange	Mall. iron	\$ 0 40	2200	1	3 lb.	13 oz.
S665	Exhaust tube	Steel, 2" dia.	1 30	1987	1	3 lb.	7 oz.
S666	Exhaust tube bracket	Steel, 1" x 1" x 28 thds.	15	1996	1	1 lb.	7 oz.
	Exhaust tube bracket cap screw	(Order S538)	2346		1		
S669	Mixer chamber stud—short	3/8" x 28 thds. (Order S404)	2348		1		
S670	Mixer chamber stud—long	3/8" x 1 1/4" x 24	10	H234-58	1		2 oz.
S671	Floater chamber stud	3/8" x 2 1/4" x 24	10	H234-57	1		1 oz.
S672	Mixer chamber stud nuts	3/8" x 24	05	H234-59	2		1 oz.
S674	Floater chamber stud nut	3/8" x 24	03	H234-60	2		
S675	Floater chamber stud nut lock washer	1/8" x 24	05	H10827	2		
S676	Vapor tube complete	Steel	03	H212-37	2		
S677	Fuel inlet elbow	One piece design	3 00	H234-51	1		12 oz.
S678	Fuel inlet elbow pack nut	Brass (Same as T6055)	2 50	H14210	1		
S679	Gasoline shut-off cock pack nut	Steel (Order S163)	10	H2619	2		1 oz.
	Gasoline shut-off cock pack nut	Brass	30	1935	1		2 oz.
		Steel (Order S163)	1964		1		1 oz.

AIR WASHER

S700	Air washer assembly	Assembly	20 00	1994	1	50 lb.	
S701	Air washer bowl	Cast iron	10 50	1870	1	30 lb.	
S702	Air washer cover	Cast iron	2 50	1880	1	9 lb.	
S703	Air washer cover gasket	Yellowimid	10	2196	1		
S704	Air washer drain plug	Galvanized iron	40	2546	1		
S706	Air washer tube flange	Steel stamping (Ord. S254)	90	1884	2	8 oz.	
S707	Air washer tube flange gasket	Cast iron	05	1885	1	2 lb.,	12 oz.
S708	Air washer tube flange gasket	Copper asbestos	03	2030	2		
S709	Air washer tube—large	Yellowimid	25	1882	1		3 oz.
S710	Air washer tube—small	Sheet iron	25	1881	1		4 oz.
S711	Air washer tube felt collar	Febl.	10	2010	2		
	Air washer cover cap screw	3/4" x 1" x 28 thds. (Order S538)	2346		4		
	Air washer cover cap screw nut	1/2" x 28 thds. (Order S404)	2348		4		
S714	Air washer flange cap screw	1/2" x 3/8" x 20 thds. (Order S182)	05	608	2		
	Air washer bowl cap screw	1/2" x 1 1/4" x 13 thds. (Order S182)	15	1886	1		2 oz.
		1/2" x 2 1/4" x 12 thds.	2 25	2177	1	1 lb.,	3 oz.

SPARK COIL

S725	COIL		14 00	2012	1	14 lb.	
S726	Coil box with cover		4 00	2360	1	4 lb.	
S727	Coil box cover	Old style (Use T5004)	30	2061	1		11 oz.
S728	Coil box cover	New style	80	2335	1		11 oz.
S729	Coil box terminal sleeve	Forclan.	05	1914	4		1 oz.
S730	Coil box assembly (Same as S731)		75	2072	1		5 oz.
S731	Coil box assembly (Same as T5006)		05	2017	1		
S732	Coil unit	Steel	2 50	1938	4	2 lb.	
S733	Coil vibrator bridge with vibrator point		25	2131	4		1 oz.
S734	Coil vibrator armature with vibrator point		20	2120	4		1 oz.
S735	Coil box support—R. H.	Malleable iron	25	1854	1		12 oz.
S736	Coil box support—L. H.	Malleable iron	09	2051	1		12 oz.
S737	Coil box stud nut		05	2022	4		
S738	Coil box cap screw	1/4" x 3/4" x 20 thds. (Ord. S714)	608		4		
S739	Coil box cap screw	1/4" x 20 thds.	03	564	4		


WIRING


S750	Spark plug wire	Stranded wire	15	1210	2		1 oz.
S751	Spark plug wire Nos. 3 & 4 cyl.	Stranded wire	15	1212	2		1 oz.
S752	Magneto to coil wire	Stranded wire	15	1215	2		3 oz.
S753	Communtator wire assembly	4-way cable	55	1214	1		9 oz.
S754	Communtator cable support	Steel	05	2108	1		1 oz.

SEAT

S775	SEAT	Steel	1 50	1743	1	5 lb.	
S776	Seat spring	Steel	1 30	1633	1	10 lb.	
S777	Seat spring bolt and nut	1/2" x 2" x 13	05	2461	1		2 oz.
S778	Seat spring bolt lock washer	1/2" std. (Order S183)	20	2247	1		5 oz.
S779	Seat spring cap screw	3/4" x 10" x 1 1/2"	03	2191	1		1 oz.
S780	Seat spring cap screw lock washer	3/4" std.			1		1 oz.

\*Used on Tractors up to No. 31807.






S-790




S-804




S-791



S-808



S-800



S-809



S-776




S-779



S-777



S-805



S-775



S-806




S-807




S-803




S-811



S-108



S-902




S-350




S-67



S-901




S-914



S-911



S-915



S-912




S-916




S-913



S-6



S-910



S-900



S-903

Catalog No.	Name	Specifications	List	Factory No.	Unit	Weight
-------------	------	----------------	------	-------------	------	--------

**FOOT BRACKET**

S796	FOOT BRACKET	Cast Iron	\$ 0 90	1749	1	4 lb.
S791	Foot bracket gasket	Paper	03	1900	1	1 lb.
	Foot bracket cap screw	1/2" x 1 1/2" x 13 thds. (Order S182)	560		6	2 oz.

**TOOLS**

S800	Tool box assembly	1/2" x 1 1/2" x 13 thds.	1 50	1870	1	3 lb.
	Tool box cap screw	(Order S243)			2	2 oz.
S802	Tool box washer	Steel	03	1992	1	1 lb.
S803	Pliers	8"	50	1983	1	1 lb.
S804	Wescott wrench	9" Keystone	1 25	1984	1	1 lb., 10 oz.
S805	Screw driver	9 1/2"	40	1985	1	1 lb.
S806	Combination spark plug & crankcase bolt wrench	Steel	50	2371	1	1 lb., 4 oz.
S807	Wrench for 1/2" and 3/4" nut	Steel	25	2095	1	1 lb., 3 oz.
S808	Wrench for 1/2" cap screw	Steel	60	2372	1	1 lb., 4 oz.
S809	Rear wheel wrench	Steel	60	2366	1	2 lb.
S810	Rear wheel bar	Steel	90	2097	1	2 lb.
S811	Front hub cap wrench	Steel	80	2197	1	6 oz.

**BELT PULLEY ATTACHMENT**

S900	PULLEY ATTACHMENT COMPLETE		30 00	2451		
S901	Pulley drive gear (and shaft)		13 00	1389		
S902	Pulley drive gear housing		4 50	2429		
S903	Drive pulley assembly	(Order S69)	8 50	2466		
	Pulley drive gear nut	(Order S67)		1611		
	Pulley drive gear washer	(Order S350)		1522		
	Pulley drive gear bearing—outside	(Order S108)		1552		
	Pulley drive gear bearing—inside					

**EXTENSION RIM**

S910	EXTENSION RIM ASSEMBLY COMPLETE with bolts, nuts, washers and spacers for attaching		15 00	2448	2	90 lb.
S911	Extension rim cleats	Steel	30	2512	10	per rim
S912	Extension rim bolt	1/2" x 20 thd.	10	1833	10	per rim
S913	Extension rim lock washer	1/2" x 20 thd. (Order S157)	05	584	14	per rim
S914	Exten. rim bolt lock washer	1/2" x 20 thd. (Order S156)	05	1651	14	per rim
S915	Extension rim spacer nut	1/2" std.	05	2513	20	per rim
S916	Extension rim cleat rivet	3/8" x 1 1/2" std.	02	634	20	per rim

**TRACTOR COVER**

S920	Tractor cover	Canvas	6 00	2187	1	6 lb., 8 oz.
------	---------------	--------	------	------	---	--------------

**GROUSER**

S925	Grouser		60	2297		28
S926	Grouser bolt		08	2995		84
S927	Grouser bolt nut		02	2996		84

**SPARK PLUGS**

S935	Spark plug (Bethlehem)		60	T1386A2	4	
	(Same as T5200)					
S936	Spark plug (Champion)		75	1909	4	
S937	Spark plug porcelain (Bethlehem)		35	T3761	4	
S938	Spark plug porcelain (Champion)		40	3167	4	

**COTTER PINS**

Name	Price	Factory No.
1/8" x 3/8" cotter pin (Same as T7992)	\$0 05 per doz.	1063
1/8" x 1/2" cotter pin (Same as T544)	05	1787
1/8" x 3/4" cotter pin (Same as T753)	05	1067
1/8" x 1" cotter pin (Same as T421)	05	594
1/8" x 1 1/4" cotter pin (Same as T614)	05	1834
1/8" x 1 1/2" cotter pin (Same as T82)	05	1672
1/8" x 1 3/4" cotter pin (Same as T1325)	05	1890
1/8" x 2" cotter pin	10	729
1/8" x 2 1/4" cotter pin	10	1592
1/8" x 2 1/2" cotter pin	10	1671
1/8" x 2 3/4" cotter pin	10	1593
1/8" x 3" cotter pin (See S355)	20	2475

No. Unit Weight

..... 1 4 lb.....

5