


Fordson

TRADE MARK

TRACTOR

Parts Price List

Effective December 1st, 1922
Prices subject to change without notice



Instructions for Ordering Parts

1. Always give number of Tractor; it is stamped on the motor on the right-hand side. (See Plate above.)
2. Always give number and name of each part ordered.
3. All prices net f. o. b. Branch, Factory or Dealer.
4. Specify whether shipments are to be forwarded by mail, express or freight.
5. Orders for parts should be written separately from correspondence pertaining to other matters.
6. Parts should be ordered from Dealer.

Ford Motor Company

DETROIT, MICH.

Fordson


TRADE MARK

TRACTOR

Parts Price List

Effective December 1st, 1922

Prices subject to change without notice



MOTOR NUMBER HERE

Instructions for Ordering Parts

1. Always give number of Tractor; it is stamped on the motor on the right-hand side. (See Plate above.)
2. Always give number and name of each part ordered.
3. All prices net f. o. b. Branch, Factory or Dealer.
4. Specify whether shipments are to be forwarded by mail, express or freight.
5. Orders for parts should be written separately from correspondence pertaining to other matters.
6. Parts should be ordered from Dealer.

Ford Motor Company

DETROIT, MICH.

Price List of Fordson Tractor Parts

Catalog No. Name Specifications List Factory No. Unit Weight

REAR AXLE

S1	Rear axle shaft	Steel	6 00	F1305	2	23 lb.
S2	Rear axle housing—R. or L.	Cast iron	15 00	F1674	2	67 lb.
S3	Rear axle housing cap screw	$\frac{1}{2}$ " x 1 3/8"	10 03	F1648	24	3 oz.
S4	Rear axle housing gasket	Paper	2 00	F1895	2	2 1/2 lb.
S5	Rear axle roller bearing	Steel	2 00	F2036	2	6 oz.
S6	Rear axle roller bearing sleeve	Steel	5 00	F1630	2	5 oz.
S7	Rear axle shaft bearing cover	Steel	10 00	F1632	2	5 oz.
S8	Rear axle shaft bearing	Steel	10 00	F1629	2	5 oz.
S9	Rear axle shaft felt retainer	$\frac{1}{2}$ " pipe plug	05 00	F 820	2	6 lb., 6 oz.
S10	Rear axle housing plug	Steel	03 00	F1340	2 Pr.	1 oz.
S11	Differential gear	Steel	3 20	F1315	4	5 1/2 lb., 6 oz.
S12	Differential gear lock ring	Steel	2 00	F1313	4	20 lb.
S13	Differential pinion spider	Steel	6 00	F1314	12	2 oz.
S14	Differential pinion	Cast iron	10 00	F1152	12	2 oz.
S15	Differential housing	Steel	10 00	F 567	12	5 1/2 lb.
S16	Differential housing bolt	$\frac{1}{2}$ " x 2 1/8"	15 00	F1294	2	30 lb.
S17	Differential housing nut	$\frac{1}{2}$ " x 20 thds.	22 00	F1294B	1	20 lb.
S18	Differential housing ball bearing	Bronze—35 teeth	18 00	F1528	1	1 oz.
S19	Differential housing ball	Steel—3 lead	15 00	F1528B	1	1 oz.
S20	WORM GEAR	Steel—3 lead	16 00	F1524T	1	1 lb.
S21	WORM	Steel—3 lead	80 00	F1406	1	1 lb.
S22	Worm shaft thrust roller bearing	$1\frac{1}{2}$ " x 12 thds.				


FRONT AXLE

S51	Front axle—with bushing	Steel	10 00	F2272	1	28 lb.
S52	Front axle trunnion	$1\frac{1}{2}$ " x 4 1/2"	40 00	F1450	1	1 lb., 1 oz.
S53	Front axle trun. bushing	Steel	10 00	F1451	1	3 oz.
S54	RADIUS ROD—WITH BUSHING	Steel	3 00	F2273	1	9 lb.
S55	Radius rod bushing	Steel	05 00	F1482	1	2 oz.
S56	Radius rod pin	$\frac{1}{2}$ " x 3 1/8"	10 00	F1483	1	8 oz.
S57	Radius rod bolt nut (Same as T2579)	$\frac{1}{2}$ " x 2 1/4"	10 00	F1337	2	3 oz.
S58	SPINDLE BODY BUSHING	Steel	05 00	T 124	2	7 lb., 1 oz.
S59	SPINDLE BODY BUSHING	Steel	10 00	F2309	2	2 oz.
S60	Spindle pin washer	$1\frac{1}{2}$ " x 6 1/2"	60 05	F1607	2 Pr.	1 lb., 6 oz.
S61	Spindle pin washer	Steel	05 00	F1609	4	4 oz.
S62	Spindle pin grease cup (Same as T1579)	Steel	15 00	T 195	2	3 oz.
S63	Spindle pin grease cup	Steel	10 00	F1640	2	2 oz.
S64	Spindle nut	Steel (used on 1st 35000 trs.)	05 03	F1611	2	1 oz.
S65	SPINDLE ARM FRONT—RIGHT ASSEMBLY	Steel	10 00	F 686	2	2 oz.
S66	SPINDLE ARM FRONT—LEFT ASSEMBLY	Steel	1 00	F2311	1	2 lb.
S67	SPINDLE ARM WASHER	Steel (Order S67)	2 00	F2312	1	3 lb., 4 oz.
S68	SPINDLE ARM NUT	Steel (Order S68)	05 05	F1328	2	1 oz.
S69	SPINDLE ARM NUT	Steel	1 50	F1586	1	6 lb.
S70	SPINDLE ARM BALL	Steel	10 10	F1339	2	4 oz.
S71	SPINDLE ARM BALL	Steel	30 00	F1614	2	7 oz.
S72	SPINDLE ARM BALL	Steel	3 00	F2224	1	5 lb., 10 oz.
S73	SPINDLE ARM BALL	Steel	1 50	F1809	2	2 oz.
S74	SPINDLE ARM BALL	Steel	25 05	F 427	2	2 oz.
S75	SPINDLE ARM BALL	Steel	05 05	F1733	4	2 oz.
S76	SPINDLE ARM BALL	Steel	05 05	F1999	4	2 oz.
S77	SPINDLE ARM BALL	Steel				
S78	STEERING GEAR CONN.	Steel				
S79	STEERING GEAR CONN.	Steel				
S80	STEERING GEAR CONN.	Steel				
S81	STEERING GEAR CONN.	Steel				
S82	STEERING GEAR CONN.	Steel				

WHEELS

S100	FRONT WHEEL ASSEMBLY	Steel	15 00	F2039	2	66 lb.
S101	FRONT WHEEL HUB CAP	Steel	20 00	F1603	2	1 lb., 2 oz.
S102	FRONT WHEEL SPIRDLIE BEARING	Steel	60 00	F2600	2	7 oz.
S103	FRONT WHEEL SPIRDLIE BEARING	Steel	1 20	F2601	2	7 oz.
S104	FRONT WHEEL SPIRDLIE BEARING	Steel	1 20	F2602	2	14 oz.
S105	FRONT WHEEL SPIRDLIE BEARING	Steel	2 50	F2603	2	12 oz.
S106	FRONT WHEEL SPIRDLIE BEARING	Steel	05 05	F2574	2	3 oz.
S107	FRONT WHEEL BALL BEARING	Steel	4 00	F1553	2	14 oz.
S108	FRONT WHEEL BALL BEARING	Steel	5 00	F1552	2	1 lb., 7 oz.

*Beginning with Tractor No. 32764.
 †Obsolete—replace with S20B and S21B.



WHEELS—Continued

S120	REAR WHEEL ASSEMBLY—RIGHT	Less bushing	36.00	F2223	1	315 lb.
S121	REAR WHEEL ASSEMBLY—LEFT	Less bushing	36.00	F1777	1	315 lb.
S122	Rear wheel hub cap screw	1/2" x 2 1/4" x 10 thds	15	F 790	6	7 1/2 oz.
S123	Rear wheel bushing	Steel	5	F1305	2	8 oz.
S124	Rear wheel cleat—right		70	F 675	14	8 lb.
S125	Rear wheel cleat—left		70	F 676	14	8 lb.
S128	Rear wheel cleat rivet	1/4" x 1 1/2" Iron rivet	02	F 659	112	1 oz.

KEROSENE TANK


S150	KEROSENE TANK ASSY.	Terne plate	9.00	F1618	1	25 lb.
S151	Kerosene tank cap (Same as T2901)	Die casting	10	T1317	1	3.0 oz.
S152	Kerosene tank strap—front assembly		75	F1926	1	1 lb., 8 oz.
S153	Kerosene tank strap—rear assembly		75	F1927	1	1 lb., 8 oz.
S154	Kerosene tank strap lining	Cotton webbing	05	F1579	2	2 oz.
S155	Kerosene tank strap rivet	Copper 1/4" x 5/8" split rivet	10 dz	T1768	6	
S156	Kerosene tank strap lock washer	Steel	01	F1651	4	4
S157	Kerosene tank strap nut	1/4" x 20 thds	03	F 584	4	4
S158	Sediment bulb assembly (Same as T2902B)	Including pet cock	90	T2088	1	1 lb., 2 oz.
S159	Sediment bulb flange (Same as T2051X)		30	T2051	1	
S160	Sediment bulb flange gasket (Same as T2094X)		03	T2094	1	
S161	Sediment bulb pet cock (Same as T3079)		15	T1515	1	
S162	Kerosene feed tube (Order S181)					
S163	Kerosene feed tube pack nut (Order S163)					
S164	Sediment bulb pack nut (Same as T2910)	Steel, 1/2" x 18 thds	05	T1374	1	1 oz.
S164	Sediment bulb pack nut packing (Same as T2913)	Felt	02	T5892	1	

GASOLINE TANK

S175	GASOLINE TANK ASSY.	Assembly	3.00	F2026	1	12 lb.
S176	Gasoline tank cap (Same as T2901)	Cast iron	2.50	F2024	1	11 lb.
S178	Gasoline tank plug gasket	Die casting (Order S151)	30	F2027	1	4 oz.
S179	Gasoline tank plug gasket	Lead (Order S160)	20	F1931	1	2 oz.
S181	Gasoline tank pet cock	Brass tubing	20	F3398	1	
S181B	Fuel feed tube support		05	F 560	2	2 oz.
S182	Gasoline tank cap screw	1/2" x 1 1/4" x 13	01	F2247	2	
S183	Gasoline tank screw lock	1/2" std.	10	F1939	1	
S184	Aux. gas tank plug		75	F3089	1	
S185	Fuel valve (two way)					

MOTOR

S200	CYLINDER	Cast iron	50.00	F2260	1	195 lb.
S200C	Cylinder-bore .03125 oversize	Cast iron	35.00	F2260C	1	195 lb.
S200D	Cylinder assy		100.00	F3134	1	52 lb.
S201	Cylinder head	Cast iron	12	F 133	22	4 oz.
S202	Cylinder head cap screw	1/2" x 3/8" x 13 thds	10	F1379	1	11 oz.
S203	Cylinder head gasket	Copper, asbestos	80	F 157	1	
S204	Cylinder head water conn. gasket	Copper, asbestos	15	F1567	1	2 oz.
S205	Cylinder plug	Steel 1 1/4" dia	03	F1544	5	7 oz.
S206	Cylinder front cover	Steel	50	F1816	1	45 lb.
S207	Cylinder front cover bolt	Cast iron	12	F3381	2	2 oz.
S208	Cylinder front cover nut	1/4" x 1 1/2" x 20 thds	05	F 583	2	
S210	Cyl. front cover drain cock	1/4" x 20 thds (Order S157)	40	F1769	1	7 oz.
S211	Cyl. front cover felt	Brass and mall. iron	05	F 716	1	
S211	Cyl. front cover cap screw	1/2" x 1 1/4" x 13 thds (Order S182)			8	
S213	Cyl. front cover screw lock washer	1/2" std. (Order S183)	05	F1889	3	
S214	PISTON COMPLETE	Valturnum	4.00	F2264	4	3 lb., 15 oz.
S215	Piston complete	Cast iron	4.00	F2264D	4	3 lb., 15 oz.
S216	Piston complete	.005" oversize	4.00	F2264C	4	3 lb., 15 oz.
S216B	Piston complete	.037" oversize	4.00	F2264E	4	3 lb., 15 oz.
S217	Piston pin	Steel	80	F1168	4	8 oz.
S218	Piston ring	.005" oversize	20	F 363D	12	2 oz.
S219	Piston ring	.037" oversize	20	F 363C	12	2 oz.
S220A	CONN. ROD ASSEMBLY	Does not include S223	4.00	F 363E	4	3 lb., 10 oz.
S220B	Conn. rod assembly	Underize (Use with S2263A)	4.00	F2263A	4	3 lb., 10 oz.
S221	Connecting rod cap bolt	1/4" x 2 1/4" x 20 thds	15	F1378	8	4
S222	Conn. rod clamp screw	1/4" x 1 1/4" x 20 thds	15	F 117	8	4
S223	Connecting rod shim	Brass, .003"	01	F1070	24	
S225	Conn. rod emergency shim	Brass, .0015"	01	F2542	24	



Catalog No. Name Specifications List Factory No. Unit Weight

MOTOR—Continued

S226	CRANKSHAFT	Steel	\$30 00	F1145	1	46 lb.
S226B	Crankshaft (reground)	Steel	16 00	F1145A	1	46 lb.
S227	Crankshaft time gear	Steel	1 00	F144	1	1 lb.
S228	Crankshaft key (Same as T3348)	Steel	05	T 930	1	14 oz.
S229	Crankshaft bearing cap	Steel	1 25	F 137	2	2 lb., 6 oz.
S229B	Crankshaft bearing cap No. 3	Underseal (Use with S226B)	1 35	F2565	2	6 oz.
S230	Crankshaft bearing cap No. 3	Underseal (Use with S226B)	1 35	F2565	1	10 oz.
S230B	Crankshaft bearing cap No. 3	Underseal (Use with S226B)	1 35	F2565A	1	10 oz.
S231	Crankshaft bearing cap shim	Thin plate .006"	01	F1069	30	2 lb., 10 oz.
S232	C. S. bearing cap screw	Steel, 1/8" x 2 1/2" x 12 thds.	15	F 565	12	4 oz.
S233	C. S. bearing cap emergency shim	Brass, .003"	01	F2446	1	13 lb.
S234	GAMSHAFT	Steel	10 00	F 446	1	13 lb.
S236	Camshaft key	(Order S228)	2 00	F 343	1	4 lb., 12 oz.
S237	Camshaft nut—large	Cast iron, 1" x 14 thds.	10	F 132	1	3 oz.
S238	Camshaft nut—small (Same as T3220)	Cast iron, 1" x 14 thds.	10	F 132	1	3 oz.
S239	Camshaft time gear rivet	Steel	05	T 471	1	1 oz.
S240	Camshaft time gear cap (Same as T468BX)	Steel	01	T 466	1	1 oz.
S241	Valve push rod	Steel	02	T 468B	1	1 oz.
S242	Valve (intake and exhaust) Assembly	Steel	35	F1041	8	5 oz.
S242B	Valve (intake and exhaust) Assembly	Steel	20	F 109A	8	5 oz.
S243	Valve spring cover screw	Overseal, 1/2" x 11/8" x 13 thds.	05	F1917	2	2 oz.
S244	Valve bushing	Cast iron, 3 1/4" long	15	F 112	8	2 oz.
S245	Valve spring	Steel	10	F 397	8	3 oz.
S246	Valve spring seat	Steel	03	F 398	8	3 oz.
S247	Valve spring seat pin	Steel	01	F 124	8	2 lb., 1 oz.
S248	Valve spring cover	Steel	40	F 717	1	1 oz.
S249	Valve spring cover gasket	Cork or vulcanoid	10	F1783	1	1 oz.
S250	CRANKCASE	Cast iron, 1 1/2" x 20 thds.	17 00	F1331	1	62 lb.
S251	Crankscrew bolt	Steel, 1/4" x 1 1/2" x 20 thds.	17 00	F1331	1	62 lb.
S253	Crankscrew pet cock	Brass, 1/4" x 20 thds. (Order S157)	15	F1768	18	2 oz.
S254	Crankscrew drain plug gasket (Order S707)	Brass, 1/2" pipe plug (Order S10)	15	F1884	1	3 oz.
S257	Crankscrew pipe plug	Paper, 1/2" pipe plug (Order S10)	05	F1892	1 Pr.	4 oz.
S258	Crankscrew gasket	Paper, 1/2" pipe plug (Order S10)	20	F2015	1	4 oz.
S259	Breather cover assembly	Wire cloth	05	F2016	1	4 oz.

COMMUTATOR

S276	Com. case with fibre (Same as T3221)	Steel	60	T5908	1	10 oz.
S277	Com. lock nut (Same as T3210)	Steel	02	T472B	8	3 oz.
S278	Com. brush assembly (Same as T3165)	Steel	30	T4481	1	2 oz.
S279	Com. case spring	Spring steel	05	F1750	1	4 oz.
S280	Com. case spring stud	Steel	10	F2022	2	4 oz.
S282	Com. control rod	Steel (Order S137)	10	F1656	1	2 oz.

MAGNETO

S300	MAGNETO COIL ASSEMBLY	1/16" plate	7 00	F1841	1	15 lb., 4 oz.
S301	Magneto coil support shim	1/16" x 1 1/4" x 13 thds.	01	F 948	3	2 oz.
S302	Magneto coil support screw	1/4" x 1 1/4" x 13 thds.	10	F1260	1	2 oz.
S303	PRIMARY CONTACT ASSEMBLY	Assembly	50	F 177	1	2 oz.
S304	Primary insulating lock nut (Same as T3261B)	Cast iron	01	T1508	2	112 lb.
S306	Flywheel magnet (16 per set) (Same as T3276B)	Cast iron	15 00	F1445	1	12 lb.
S307	Flywheel magnet clamp (Same as T3277)	Brass	03	T 623	16	1 oz.
S308	Flywheel mag. clamp screw	Brass	03	F 518	16	1 oz.
S309	Flywheel magnet support (Same as T3257)	Steel, 3/8" x 1 1/8" x 24 thds.	05	T 535G	16	1 oz.
S310	Flywheel magnet bolt (Same as T3255B)	Steel, 3/8" x 1 1/8" x 24 thds.	03	F 576	16	1 oz.
S311	Flywheel magnet washer (Same as T3255B)	Steel, 1/8" inside dia., 2 1/4" out. side dia. (Order S107)	01	T 624	16	1 oz.
S313	Flywheel ball bearing	Steel, 1/2" x 20 thds. (Order S18)	25	F 451	6	7 oz.

TRANSMISSION

S325	TRANSMISSION HOUSING	Cast iron	35 00	F1673	1	205 lb.
S326	Trans. housing gasket	Paper	05	F1894	1	15 lb.
S327	Trans. housing plate	Semi-steel	4 00	F1678	1	15 lb.
S328	Trans. housing plate gasket	Paper	03	F1898	1	1 oz.
S329	Trans. housing plate pin	Steel, 1/2" x 1 1/2" x 13 thds.	10	F1755	1	1 oz.
S330	Trans. housing plate cap	Steel, 1/2" x 1 1/2" x 13 thds.	10	F1755	1	1 oz.
S331	Trans. housing bolt	Steel, 1/2" x 1 1/2" x 20 thds. (Order S208)	14	F208	14	1 oz.

Catalog No. Name Specifications List Factory No. Unit Weight

TRANSMISSION—Continued

S335	Trans. drive shaft	Steel, 1 1/2" x 20 thds. (Order S157)	\$12 00	F1548	2	11 lb.
S336	Trans. shaft bevel gear	Steel, 1 1/2" x 20 thds.	5 00	F1549	1	3 lb.
S337	Trans. drive shaft nut	Steel, 1 1/2" x 20 thds.	50	F1590	1	6 lb.
S338	Trans. drive shaft upper	Steel, 1 1/2" x 20 thds.	6 00	F1518	1	9 lb.
S339	Trans. pinion—lower assem.	Steel	4 00	F2192	2	3 lb.
S340	Trans. pinion (splined)	Steel	4 00	F1547	2	3 lb.
S341	Trans. pinion reverse (plain)	Steel	4 00	F1546	1	5 lb.
S342	Trans. gear—low	Steel	7 00	F1547	1	10 lb.
S343	Trans. gear—large	Steel	9 00	F1540	1	10 lb.
S344	Trans. reverse idler with bushing	Steel	3 00	F2265	1	2 lb.
S345	Trans. housing plate oil shield	Steel	05	F2384	1	1 lb.
S346	Trans. reverse idler shaft	Steel	75	F2442	1	1 lb.
S347	Trans. reverse idler bushing	Steel	50	F1643	1	1 lb.
S348	Trans. reverse idler collar	Brass	10	F2443	1	1 lb.
S349	Trans. shaft ball bearing—small	1 dia. inside, 3 3/8" dia. outside	4 50	F1521	2	1 lb.
S350	Trans. shaft ball bearing—large	1 1/2" dia. inside, 3 1/2" dia. outside	5 50	F1522	2	1 lb.
S351	Trans. drive shaft and large gear ball bearing	2 1/2" dia. inside, 4 1/2" dia. outside	9 00	F1523	2	2 lb.
S352	Drawbar cap screw	Semi-steel, 1/2" x 1 1/2" x 12 thds.	2 50	F1836	4	10 lb.
S353	Drawbar cap screw	Paper, 1/2" x 1 1/2" x 12 thds.	10	F 387	4	10 lb.
S354	Drawbar cap gasket	Paper	03	F1899	1	1 oz.
S355	Trans. rev. idler shaft cotter pin	Steel, 1/8" x 2"	15	F2475	1	1 oz.

GEAR SHIFTER

S375	GEAR SHIFTER ASSEMBLY	Cast iron	8 50	F1782	1	16 lb.
S376	Gear shifter plate	Cast iron	3 50	F1529	1	8 lb.
S377	Gear shifter plate gasket	Vulcanoid, 1/2" x 1 1/2" x 13 thds.	05	F1896	1	1 lb.
S379	Gear shifter lever	Steel	90	F1662	1	2 lb.
S380	Gear shifter lever ball	Steel, 1/2" x 1 1/2"	20	F 577	1	1 lb.
S381	Gear shifter lever ball pin	Steel, 1/2" x 1 1/2"	01	F1345	1	1 lb.
S382	Gear shifter lever ball retainer	Steel	10	F1053	1	1 lb.
S383	Gear shifter lever ball retainer	Steel, 1/2" x 1 1/2"	01	F1059	1	1 lb.
S384	Gear shifter—upper	Steel	1 00	F1551	1	1 lb.
S385	Gear shifter—lower	Steel	1 00	F1552	1	1 lb.
S386	Gear shifter shaft	Steel	02	F1776	2	1 lb.
S387	Gear shifter shaft pin	Steel, 1/2" x 1 1/2"	02	F1554	2	1 lb.
S388	Gear shifter plunger	Steel wire	05	F 534	2	1 lb.
S389	Gear shifter plunger springs	Die casting (Order S255)	05	F2202	1	1 lb.
S391	Gear shifter plate cap	Steel	05	F2202	1	1 lb.

CLUTCH

S400	CLUTCH ASSEMBLY	Steel	10 00	F1660	1	22 lb.
S401	Clutch housing—front	Steel	40	F 175	1	1 lb.
S402	Clutch housing—rear asb.	Cast iron and steel	2 00	F2193	1	4 lb.
S403	Clutch housing cap screw	1/2" x 1 1/2" x 28 thds.	05	F2347	8	1 lb.
S404	Clutch hour & cap screw nut	1/2" x 1 1/2" x 28 thds.	02	F2348	8	1 lb.
S405	Clutch plate driver	Steel	15	F 416	8	1 lb.
S406	Clutch plate driven	Steel	15	F 417	8	1 lb.
S407	Clutch spring	Spring steel	10	F 944	6	1 lb.
S408	Clutch drive drum and keys	Malleable iron	3 50	F2194	1	6 lb.
S409	Clutch drive drum ring	Steel	05	F1591	1 Pr.	1 lb.
S410	Clutch driven drum nut	Steel	50	F1589	1	1 lb.

STARTING CRANK

S425	STARTING CRANK ASSEMBLY	Steel	1 50	F1844	1	4 lb.
S426	Starting crank	Steel	1 00	F 661	1	3 lb.
S427	Starting crank handle (Same as T3901)	Steel	20	T 520R	1	1 lb.
S428	Starting crank handle pin (Same as T3902)	Steel	10	T 521R	1	1 lb.
S429	Starting crank handle spring (Same as T3903)	Steel	02	T3911R	1	1 lb.
S430	Starting crank spring	Steel	05	F 459	1	1 lb.
S431	Starting crank spacer	Steel	05	F1823	1	1 lb.
S432	Starting pin	Steel, 1/2" dia. x 2 1/2"	10	F1021	1	1 lb.

DASH

S451	Dash with lining	Cast iron	11 00	F2206	1	32 lb.
S452	Dash cotton webbing	Cotton webbing	05	F1817	2	1 lb.
S453	Dash split rivet	Steel, 1/2" x 1 1/2" x 12 thds.	05	F1817	4	1 lb.
S454	Dash cap screw	Steel, 1/2" x 1 1/2" x 12 thds.	03	F1897	2	1 lb.
S455	Dash gasket	Vulcanoid	03	F1897	1	1 lb.

* Sold in sets only.

DASH—Continued

DASH—Continued

S456	CLUTCH LEVER BRACKET ASSEMBLY	Cast iron	\$ 4 50	F1789	1	5 lb.	
S457	Clutch lever bracket bolt	1/2" x 1 1/2" x 13 thds. Steel (Order S502)	1 50	F1758	1		
S459	Clutch lever	Steel	1 75	F1760	4	2 lb.	2 oz.
S461	Clutch release pin	1/8" x 2 1/8" (Order S76)	1 20	F1759	1		
S462	Clutch pedal	Steel	2 50	F1587	1	4 lb.	15 oz.
S463	Clutch pedal cam	Steel	75	F1761	1		
S464	Clutch pedal cam retainer	Steel	75	F1762	1		
S465	Clutch pedal spring	Steel wire	05	F1853	1 Pr.		1 oz.


STEERING GEAR

S475	STEERING WHEEL ASSEMBLY	Maplewood	2 75	F1747	1	5 lb.	7 oz.
S476	Steering wheel rim	Steel	1 20	F1510	1	1 lb.	15 oz.
S477	Steering wheel rim screw	Steel	02	F1734	4		
S478	Steering wheel spider	Cast iron	1 25	F1748	1	3 lb.	8 oz.
S479	Steering shaft	Steel	1 20	F1437	1	3 lb.	11 oz.
S480	Steering shaft grease cup	(Use T2545)	10	T76	1		1 oz.
S481	Steering shaft nut	3/8" x 18 thds. Malleable iron	10	F1745	1	1 lb.	1 oz.
S482	Steering sector	Steel	1 00	F1731	1	1 lb.	15 oz.
S483	Steering sector pin	Steel	02	F1738	1		
S484	Steering pinion	Steel	1 00	F1423	1	4 lb.	12 oz.
S485	Steering arm—rear	Steel	1 75	F1635	1		
S486	Throttle control handle	Steel	15	F1785	1		6 oz.
S487	Throttle con. lever conn.	Steel	10	F1785	1		2 oz.
S488	Throttle control rod	Steel	15	F1818	1		9 oz.
S488B	Throttle control rod and cover assembly	Steel	80	F3202	1		
S488C	Throttle control rod assembly	Steel	20	F3201	2		1 oz.

S489	Throttle control rod lever	Steel	15	F1654	1		
S489B	Throttle con. rod lever	Steel	01	F3594	4		
S490	Throttle con. rod lever pin	3/8" x 3/8"	10	F1786	1	1 lb.	
S491	Spark control rod	Steel	20	F1655	1		3 oz.
S492	Spark control rod support	Steel	05	F1873	1		
S493	Spark control rod lever	Steel	10	F1875	1		1 oz.
S494	Control rod and priming rod plunger spring	Steel wire	03	F1188	3		
S495	Control rod spring retainer	Steel	03	F1150	2		
S496	Control rod spring ret. pin	3/8" x 1/2"	03	F1781	2		6 oz.
S497	Priming rod	Steel	15	F2037B	1		
S497B	Priming rod	Steel	15	F2037B	1		
S498	Priming rod plunger	Steel	05	F2199	1		5 oz.
S499	Needle valve adjusting rod	Steel	15	F2025	1		
S499B	Needle valve adjusting rod	Steel	10	F3088	1		1 oz.
S500	Throttle control rod yoke	Steel	15	F1915	1		
S501	Throttle control cover assembly	Steel	15	F3200	1		
S502	Throttle control rod spring	Steel	10	F3199	1		
S503	Throttle control rod friction disc	Steel	03	F3198	1		

RADIATOR

S526	Radiator top tank & lining	Cast iron	12 50	F2261	1	60 lb.	
S527	Radiator top tank cover	Steel	20	F1418	1		15 oz.
S528	Radiator cover bolt	1/2" x 13 thds. Steel	15	F1422	1		5 oz.
S529	Radiator cover bolt nut	Steel	05	F1836	1		
S530	Radiator cover knob	Cast iron	35	F1420	1		9 oz.
S531	Radiator cover ring	Steel	03	F1421	1		
S532	Radiator tank cap screw	1/2" x 1 1/2" x 28 thds.	05	F2345	21		
S533	Radiator top tank stud	1/2" x 28 thds & 3/8"-16 th (Order S409)	05	F2284	9		
S534	Radiator top tank stud nut	1/2" x 28 thds & 3/8"-16 th (Order S409)			3		
S535	Radiator top tank rivet	1/2" x 3/8" split Cotton webbing (Order S155)			3		
S536	Radiator top tank cotton lining	(Order S154)			1		2 oz.
S537	Radiator top tank conn.	Cast iron	3 00	F1405	1	9 lb.	
S538	Radiator top tank conn. from cap screw	1/2" x 1 1/2" x 13 thds. (Order S182)	05	F2346	4		
S539	Radiator tank cap screw	1/2" x 1" x 28 thds. (Order S409)	24 00	F 381	16	28 lb.	
S540	Radiator core assembly	Assembly	50	F1822	1		6 oz.
S541	Radiator tube & gland	Brass tube	10	F1533	1		10 oz.
S542	Radiator strip—front	Steel	05	F1534	2		5 oz.
S543	Radiator strip—rear	Cast iron	2 50	F1530	2	9 lb.	
S544	Radiator side member	Cast iron	2 80	F1583	10 lb.		
S545	Radiator bottom tank	Steel	03	F1387	1		2 oz.
S546	Rad. bottom tank spacer	Steel	10	F2352	2		2 oz.
S547	Rad. bottom tank cap screw	1/2" x 1 1/2" x 13 thds. Vellumoid	05	F1901	3		2 oz.
S548	Radiator top tank gasket	Copper asbestos	05	F1568	1		1 oz.
S549	Radiator top tank gasket	Copper asbestos	05	F1569	1		1 oz.
S550	Rad. bottom tank gasket	Copper asbestos	15	F 798	1		
S551	Radiator fin	Steel	1 25	F 800	1		
S552	Radiator header—bottom	Steel	1 25	F2486	3		
S553	Radiator header—top	Steel	1 25	F 801	3		
S554	Rad. conn. tube—small	1/4" x 1 1/2" x 20 thds. (Order S208)			3		
S555	Rad. conn. bolt	1/4" x 20 thds. (Order S157)			4		




VAPORIZER—Continued

S640	Adj. needle pilot	Brass	\$ 0 50	H234-67	1	1 oz.
S641	High and low speed nozzle	Brass	25	H1084-9	1	1 oz.
S642	Nozzle gasket	Copper, asbestos	05	H220-47	1	1 oz.
S643	Nozzle plug	Steel	15	H220-43	1	1 oz.
S644	Nozzle plug gasket	Copper, asbestos	05	H220-44	1	1 oz.
S645	Drain plug	Brass	15	H1630-3	1	1 oz.
S647	Pipe plug, 1/2"	Steel (Order S583)	03	H234-27	1	1 oz.
S648	Floater chamber gasket	Steel	10 00	H234-76	1	2 1/2 lb.
S648B	MANIFOLD & STUD ASSY	Steel	6 00	H1443-4	1	2 oz.
S649	Exhaust manifold and stud assembly	1/2" x 1 1/8" x 20	10	H234-30	2	2 oz.
S649B	Manifold stud	1/2" x 1 1/8" x 20	1 50	H1500-1	2	8 oz.
S650	Manifold outlet and stud	(Order S649)	1 50	H234-71	1	3 lb., 8 oz.
S652	Exhaust manf. outlet studs	1/2" x 20	15	H234-31	2	8 oz.
S652B	Exhaust manifold stud nuts, 1/2" x 20	(Order S649)	10	H1092-9	2	8 oz.
S653	Manifold outlet stud nut	Steel	05	F291-9	4	1 oz.
S654	Vaporizer to cyl. stud nut	(Use T2948)	05	F78	4	1 oz.
S655	Manifold gland	Steel	03	F101-4	4	1 oz.
S656	Manifold lock washer	1/8" std.	02	F162-1	4	1 oz.
S657	Manifold gasket	Copper, asbestos	05	F103-3	6	8 oz.
S657	SHUNT VALVE LEVER ASSEMBLY	Steel	90	H234-73	1	8 oz.
S659	Shunt valve lever stud	Steel	15	H1088-7	1	1 oz.
S661	Shunt valve lever shims	Brass	03	H1083-8	2	1 oz.
S662	EXHAUST SHUNT VALVE ASSEMBLY	Steel	60	H234-52	1	1 lb., 6 oz.
S662B	Shunt valve and pilot assembly	Steel	45	H1443-5	1	1 lb., 6 oz.
S663	Exhaust tube assembly	Steel	1 75	F220-1	1	13 oz.
S664	Exhaust tube flange	Steel, 2" dia.	1 00	F1987	1	3 lb., 7 oz.
S665	Exhaust tube bracket	Steel	1 10	F1996	1	7 oz.
S666	Exhaust tube bracket cap screw	1/4" x 1 1/2" x 28 thds (Order S583)	10		1	1 oz.
S669	Exhaust tube bracket cap screw nut	1/4" x 28 thds (Order S404)	10	H234-56	1	2 oz.
S670	Mixer chamber stud—short	3/8" x 1 1/8" x 24	05	H234-57	2	2 oz.
S671	Mixer chamber stud—long	3/8" x 2 1/8" x 24	10	H234-57	2	2 oz.
S672	Mixer chamber stud	3/8" x 2 1/8" x 24	05	H234-28	2	1 oz.
S673	Mixer chamber stud nuts	3/8" x 24	05	H234-59	2	1 oz.
S674	Mixer chamber stud lock washer	3/4"	03	H234-60	2	2 oz.
S675	Floater chamber stud nut	3/8" x 24	05	H1082-7	2	2 oz.
S676	Lock washer	Steel	03	H212-37	2	12 oz.
S676B	Vapor tube complete	One piece design	1 25	H1421-0	1	1 oz.
S676C	Vapor tube	Steel (Same as T6055)	1 00	H1436-8	2	1 oz.
S677	Fuel inlet elbow	Brass	15	T-8859	2	1 oz.
S679	Fuel inlet elbow pack nut	Steel (Order S163)	25	F1935	1	2 oz.
S681	Gasoline shut-off cock nut	Brass	05	NH44	1	1 oz.
S682	Mixing chamber plug	Steel (Order S163)	03	H1092-4	1	1 oz.
S683	Throat retaining screw	Steel	20	H1433-5	1	1 oz.
S684	Shunt valve latch	Steel	01	H1436-6	1	1 oz.
S685	Shunt valve latch pin	Steel	05	H1437-6	1	1 oz.
S686	Adj. needle nut	Steel	20	H1616-6	1	1 oz.
S687	Floater chamber throat screw	Steel	03	H1442-0	1	1 oz.
S688	Manifold outlet and stud assembly	Steel	1 00	H1443-6	1	2 oz.
S689	Floater chamber throat screw	Steel	15	H1460-5	1	2 oz.
S690	Floater chamber cap screw	Steel	15	H1509-2	1	2 oz.
S691	Mixing chamber governor	Steel	05	H1556-3	1	2 oz.
S692	Mixing chamber governor flange cover	Steel	03	H1573-7	1	2 oz.
S693	Mixing chamber governor flange cover gasket	Steel	02	H1573-8	1	2 oz.
S694	Adj. needle screw	Steel	01	H234-26	1	2 oz.
S695	Throttle stop lever plate	Steel	10	H1442-2	1	2 oz.
S696	Throttle rod	Steel	20	H1436-7	1	2 oz.
S697	Throttle stop screw	Steel	01	H1442-3	1	2 oz.
S698	Throttle stop lever and rod assembly	Steel	40	H1442-5	1	2 oz.
S699	Throttle stop lever plate stud	Steel	05	H1443-3	1	2 oz.

AIR WASHER

S700	AIR WASHER ASSEMBLY	Assembly	15 00	F1994	1	50 lb.
S701	Air washer bowl	Cast iron	7 50	F1879	1	30 lb.
S702	Air washer cover	Cast iron	2 00	F1880	1	9 lb.
S703	Air washer cover gasket	Yellowwood or cork	10	F2196	1	8 oz.
S704	Air washer baffle plate	Brass	40	F254-6	1	8 oz.
S706	Air washer drain plug	Die casting (Ord. S254)	1 25	F1883	2	2 lb., 12 oz.
S707	Air washer tube flange	Cast iron	05	F1885	1	2 lb., 12 oz.
S708	Air washer tube flange gasket	Copper, asbestos	03	F2030	1	2 lb., 12 oz.



AIR WASHER—Continued

S709	Air washer tube—small	Sheet iron	\$ 0 25	F1882	1	3 oz.
S709B	Air washer tube—large	Sheet iron	20	F3896	1	3 oz.
S710	Air washer tube felt collar	Pelt.	25	F1881	1	4 oz.
S711	Air washer cover cap	Steel	05	F2010	2	1 oz.
	Air washer cover cap screw	Steel	1/4" x 28 thds. (Order S598)		4	
	Air washer cover cap screw	Steel	1/4" x 28 thds. (Order S404)		4	
S714	Air washer hinge cap screw	Steel	1/4" x 20 thds. (Order S182)		2	
S716	Air washer float cap screw	Steel	1/4" x 20 thds. (Order S182)		2	
S717	Air washer float assembly	Assembly	1 75	F2177	1	1 lb., 3 oz.

SPARK COIL

S725	COIL		10 50	F2012	1	14 lb.
S726	Coil box with cover	Old style (Use T5004)	3	F2860	1	4 lb.
S727	Coil box cover	New style	30	F1910	1	11 oz.
S728	Coil box cover	Porcelain	80	F2385	1	11 oz.
S729	Coil box terminal sleeve		05	F1914	4	1 oz.
S730	Coil switch assembly (Same as T5010)		75	T5873	1	5 oz.
S731	Coil switch lever (Same as T5006)	Steel	05	T5815A	1	2 lb.
S732	Coil unit		1 75	T5845	4	1 oz.
S733	Coil vibrator bridge with contact point		10	T6702	4	1 oz.
S734	Coil vibrator armature with contact point		10	T6797	4	1 oz.
S735	Coil box support—R. H.	Malleable iron	25	F1934	1	12 oz.
S736	Coil box support—L. H.	Malleable iron	25	F1935	1	12 oz.
S737	Coil box stud		05	F2921	4	
S738	Coil box stud nut		05	F2922	4	
	Coil box cap screw	Steel	1/4" x 3/4" x 20 thds. (Order S714)		4	
S739	Coil box cap screw nut	Steel	03	F 564	4	

WIRING

S750	Spark plug wire Nos. 1 and 2 cyl.	Stranded wire	10	F1210	2	1' oz.
S751	Spark plug wire Nos. 3 & 4 cyl.	Stranded wire	10	F1212	2	1 oz.
S752	Magneto to coil wire	Stranded wire	10	F1215	1	3 oz.
S753	Commutator wire assembly	4-way cable	55	F1214	1	9 oz.
S754	Commutator cable support	Steel	05	F2108	1	1 oz.

SEAT

S775	SEAT	Steel	1 00	F1743	1	5 lb.
S776	Seat spring	Steel	1 20	F1633	1	10 lb.
S777	Seat spring bolt and nut	Steel	05	F2461	1	2 oz.
S779	Seat spring bolt lock washer	Steel	15	F1746	1	5 oz.
S780	Seat spring cap screw lock washer	Steel	02	F2191	1	1 oz.

FOOT BRACKET

S790	FOOT BRACKET	Cast iron	1 25	F1749	1	4 lb.
S791	Foot bracket gasket	Paper	03	F1900	1	
	Foot bracket cap screw	Steel	1/4" x 1 1/4" x 13 thds. (Order S182)		6	


TOOLS

S800	Tool box assembly	Steel	1 25	F1870	1	3 lb.
	Tool box cap screw	Steel	1/4" x 1 1/4" x 13 thds. (Order S243)		2	
S802	Tool box washer	Steel	03	F1992	2	10 oz.
S803	Wescott wrench	Steel	50	F1983	1	8 oz.
S804	Screw driver	Steel	1 25	F1984	1	10 oz.
S805	Combination spark plug & crankcase bolt wrench	Steel	25	F1985	1	10 oz.
S806	Wrench for 1/4" and 1/2" nut	Steel	50	T5893	1	1 lb., 4 oz.
S807	Wrench for 3/8" cap screw	Steel	20	F2095	1	5 oz.
S808	Rear wheel wrench	Steel	60	F2372	1	4 oz.
S809	Rear wheel bar	Steel	50	F2366	1	2 lb.
S810	Front hub cap wrench	Steel	75	F2097	1	2 lb.
S811	Valve seating cutter	Steel	70	F2197	1	6 oz.
S812	Valve seating cutter	Steel	1 00	F35R27	1	
S813	Valve seating cutter	Steel	1 25	F35R31	1	

BELT PULLEY ATTACHMENT COMPLETE

S900	Pulley drive gear (and shaft)		25 00	F2451		
S901	Pulley drive gear housing		11 00	F1389		
S902	Drive pulley assembly		4 50	F2429		
S903	Drive pulley bushing		8 50	F3133		
S904	Drive pulley felt washer		1 00	F3131		
S905	Drive pulley felt washer		05	F3128		
S906	Drive pulley felt retainer		10	F3127		

*Used on Tractors up to No. 31807.



Catalog No. Name Specifications List Factory No. Unit Weight

BELT PULLEY ATTACHMENT—Continued

Pulley drive gear nut.....	(Order S88)				
Pulley drive gear washer.....	(Order S87)				
Pulley drive gear bearing— outside.....	(Order S950)				
Pulley drive gear bearing— inside.....	(Order S108)				

EXTENSION RIM

S910..... EXTENSION RIM ASSEMBLY COMPLETE with bolts, nuts, washers and spacers for attaching.....	Steel.....	\$15 00	F2448	30	10 Per Rim	2	90 lb.
S911..... Extension rim clear.....	1/2" x 1 1/2" x 20 std. (each)	05	F2512	05	14 Per Rim		
S912..... Extension rim bolt.....	1/2" x 20 std. (Order S187)	05	F1835	05	14 Per Rim		
S913..... Extension rim bolt lock washer.....	1/2" std. (Order S186)	05	F2313	05	14 Per Rim		
S914..... Extension rim spacer nut.....	1/2" x 1 1/4" std.	02	F 634	02	20 Per Rim		
S915..... Extension rim clear rivet.....	1/4" x 1 1/4" std.	02	F 634	02	20 Per Rim		

TRACTOR COVER

S920..... Tractor cover.....	Canvas.....	6 00	F2187	01	1	6 lb.,	8 oz.
------------------------------	-------------	------	-------	----	---	--------	-------

GROUSER

S925..... Grouser.....		60	F2297	05	28		
S926..... Grouser bolt.....		05	F2995	05	84		
S927..... Grouser bolt nut.....		02	F2996	02	84		

COTTER PINS

Name	Price	Factory No.
* 1/8" x 3/8" cotter pin.....	\$0 05 per doz.	T 17992
* 1/8" x 1/2" cotter pin.....	05 "	T 544
* 1/8" x 3/4" cotter pin.....	05 "	T 753
* 1/8" x 1" cotter pin.....	05 "	T 421
* 1/8" x 1 1/4" cotter pin.....	05 "	F1834
* 1/8" x 1 1/2" cotter pin.....	05 "	T 614
* 1/8" x 1 3/4" cotter pin.....	05 "	T 82
* 1/8" x 2" cotter pin.....	05 "	T1338
* 1/8" x 2 1/2" cotter pin.....	10 "	F1592
* 1/8" x 2 3/4" cotter pin.....	10 "	F1671
* 1/8" x 3" cotter pin.....	10 "	F1593
* 1/8" x 3 1/2" cotter pin (See S355).....	15 "	F2475

*\$0.25 per Gross—\$0.75 per thousand.

FRM DE / DY PERMAX • F14-99315

