

Fordson

TRADE MARK

TRACTOR

PARTS

PRICE LIST

Effective June 1st, 1924

Ford Motor Company
DETROIT, MICH.

Fordson


TRADE MARK

TRACTOR

Parts Price List

Effective June 1, 1924

Prices subject to change without notice



MOTOR NUMBER HERE

Instructions for Ordering Parts

1. Always give number of Tractor; it is stamped on the motor on the right-hand side. (See Plate above.)
2. Always give number and name of each part ordered.
3. All prices net f. o. b. Branch, Factory or Dealer.
4. Specify whether shipments are to be forwarded by mail, express or freight.
5. Orders for parts should be written separately from correspondence pertaining to other matters.
6. Parts should be ordered from Dealer.

Ford Motor Company

DETROIT, MICH

Price List of Fordson Tractor Parts

Catalog No. Name Specifications List Factory No. Year Unit Weight

REAR AXLE

S1	Rear axle housing—R or L.	Steel	5.00	F1305	1917-24	2	23 lb.
S2	Rear axle housing cap screw	Cast iron	15.00	F1672	"	2	67 lb.
S3	Rear axle housing gasket	Paper	0.30	F1895	"	2	3.02.
S4	Rear axle roller bearing	Steel	1.40	F2083	"	2	1 lb.
S5	Rear axle roller bearing sleeve	Steel	3.50	F1630	"	2	9.02.
S6	Rear axle shaft bearing cover	Steel	0.05	F1630	"	2	5.02.
S7	Rear axle shaft felt	Felt	0.05	F1630	"	2	5.02.
S8	Rear axle shaft felt retainer	Steel	0.05	F1630	"	2	5.02.
S9	Rear axle shaft felt retainer	Steel	10.00	F1629AR	1917-22	2	5.02.
S9B	Rear axle shaft felt retainer	Steel	10.00	F1629B	1917-24	2	5.02.
S10	Rear axle housing plug	Steel	4.50	F1304	1917-24	2	1.02.
S11	Differential gear lock ring	Steel	0.30	F1340	"	2	6 lb., 6 oz.
S12	Differential gear lock ring	Steel	1.00	F1340	"	2	1.02.
S13	Differential pinion spider	Steel	3.50	F1315	"	2 Pr.	5 lb., 10 oz.
S14	Differential pinion	Steel	1.60	F1313	"	1	5 lb., 6 oz.
S15	Differential housing	Cast iron	4.50	F1314	"	2	6 oz.
S16	Differential housing	Cast iron	4.05	F1152	"	2	20 lb., 2 oz.
S17	Differential housing bolt	Steel	10.00	F 567	"	12	2.02.
S18	Diff. housing bolt nut	Steel	1.00	F 567	"	12	2.02.
S19	Differential housing ball bearing	Steel	12.00	F1526	1917-20	2	5 lb.
S20	WORM GEAR	Bronze—35 teeth	22.00	F1294	1917-20	1	30 lb.
S20B	WORM GEAR	Bronze—51 teeth	22.00	F1294B	1920-24	1	30 lb.
S21	Worm (use only with S343)	Steel—3 lead	18.00	F1528AR	1917-20	1	20 lb.
S21B	Worm (use only with S343)	Steel—3 lead	15.00	F1528B	1920-22	1	20 lb.
S21C	Worm (deep splined)	Steel—3 lead	13.00	F1528C	1922-24	1	20 lb.
S22C	Worm shaft thru roller brg.	Steel	16.00	F1524T	1917-24	1	1 lb.
S25	Worm nut	Steel	50.00	F1400	"	1	1 lb.


FRONT AXLE

S51	Front axle—with bushing	Steel	7.00	F2272	"	1	28 lb.
S52	Front axle trunnion	Steel	3.00	F1450	"	1	1 lb.
S53	Front axle run. bushing	Steel	0.05	F1451	"	1	3.02.
S54	KADUS ROD—WITH BUSHING	Steel	2.50	F2273	"	1	9 lb.
S55	Radius rod bushing	Steel	0.05	F1482	"	1	2.02.
S56	Radius rod pin	Steel	10.00	F1485	"	1	8 oz.
S57	Radius rod bolt	Steel	10.00	F1357	"	2	3 oz.
S58	Radius rod bolt nut (Same as S129)	Steel	0.08	T 124	"	2	7 lb.
S59	SPINDLE BODY	Steel	4.00	F2309	"	2	1.02.
S60	Spindle body bushing	Steel	10.00	F1606	"	2	Pr.
S61	Spindle pin	Steel	50.00	F1607	"	2	1 lb., 6 oz.
S62	Spindle pin washer	Steel	10.00	F1609	1919-24	2	4 oz.
S63	Front wheel dust ring	Steel	15.00	T 195	"	2	3 oz.
S64	Front wheel grease cup (Same as S129)	Steel	10.00	F1640	1917-19	2	2 oz.
S65	Spindle felt retainer	Steel (used on 1st 85000 trs.)	0.05	F1608	"	2	2 oz.
S66	Spindle felt retainer	Steel (used on 1st 85000 trs.)	0.05	F1611	1917-24	2	2 oz.
S67	Spindle washer	Steel	0.05	F 686	"	2	2 oz.
S68	SPINDLE ARM FRONT—RIGHT ASSEMBLY	Steel	1.00	F2311	"	1	2 lb.
S70	SPINDLE ARM FRONT—LEFT ASSEMBLY	Steel	2.00	F2312	"	1	3 lb., 4 oz.
S71	Spindle arm bushing	Steel (Order S67)	0.05	F1328	"	2	1.02.
S72	Spindle arm nut	Steel (Order S68)	1.30	F1586	1917-24	2	6 lb.
S73	Spindle connecting rod	Steel	30.00	F1389	"	2	4 oz.
S74	Spindle connecting rod yoke pin	Steel	30.00	F1614	"	2	7 oz.
S75	Spindle arm ball nut	Steel	3.00	F2224	"	1	5 lb., 10 oz.
S76	Spindle arm ball nut	Steel	1.75	F1807	"	1	10 oz.
S77	Spindle arm ball nut	Steel	20.00	F 427	"	2	2 oz.
S78	STEERING GEAR CONN.—ROD ASSEMBLY	Steel	0.05	F1733	"	4	2 oz.
S79	Steering gear conn. rod	Steel	0.05	F1999	"	4	2 oz.
S80	Steering gear conn. rod cap bolt	Steel	0.05	F1733	"	4	2 oz.
S81	Steering gear conn. rod cap bolt	Steel	0.05	F1999	"	4	2 oz.
S82	Steering gear conn. rod cap nut	Steel	0.05	F1999	"	4	2 oz.

WHEELS

S100	FRONT WHEEL ASSEMBLY	Steel	14.00	F2039	"	2	66 lb.
S101	Front wheel hub cap	Steel	20.00	F1603	"	2	1 lb., 2 oz.
S102	Front wheel spindle bearing	Steel	50.00	F2600	"	2	7 oz.
S103	Front wheel spindle bearing	Steel	1.15	F2601	"	2	7 oz.
S104	Front wheel spindle bearing	Steel	90.00	F2602	"	2	14 oz.
S105	Front wheel spindle bearing	Steel	2.00	F2603	"	2	12 oz.
S106	Front wheel spindle washer	Steel	0.05	F2574	"	2	3 oz.
S107	Front wheel ball bearing	Steel	3.50	F1553	"	2	14 oz.
S108	Front wheel ball bearing	Steel	4.50	F1552	"	2	1 lb., 7 oz.

Beginning with Tractor No. 32764. Fodsolote—replace with S20B and S21B or S20B and S21C.
Beginning with Tractor No. 263,810.



WHEELS—Continued

S120	REAR WHEEL ASSY—RIGHT—less bushing	36 00	F2223	1917-24	1	315 lb.
S121	REAR WHEEL ASSY—LEFT—less bushing	36 00	F1777	"	1	315 lb.
S122	Rear wheel hub cap screw, 1/4 x 2 1/2 x 10 thds.	15	F 790	"	8	7 oz.
S123	Rear wheel bushing	4 00	F 305	"	2	8 lb.
S124	Rear wheel cleat—right	50	F 675	"	14	8 lb.
S125	Rear wheel cleat—left	50	F 676	"	14	8 lb.
S128	Rear wheel cleat rivet, 1/2 x 1 1/2 Iron rivet.	02	F 635	"	112	1 oz.

KEROSENE TANK

S150	KEROSENE TANK ASSY. Terra plate.	8 00	F1618	"	1	25 lb.
S151	Kerosene tank cap (Same as T2901)	10	T1317	"	1	3 oz.
S152	Kerosene tank strap—rear	75	F1926	"	1	1 lb., 8 oz.
S153	Kerosene tank strap—rear assembly	75	F1927	1917-22	1	1 lb., 8 oz.
S154	Kerosene tank strap lining, Cotton webbing.	10	F1579	1917-24	2	2 oz.
S155	Kerosene tank strap rivet, Copper 1/2 x 5/8 split rivet	10 dz.	T1168	"	6	"
S156	Kerosene tank strap lock	01	T5636	"	4	"
S157	Kerosene tank strap nut, 1/2 x 20 thds.	03	F 584	"	4	"
S158	Sediment bulb assembly	90	T2088	"	1	1 lb., 2 oz.
S159	Sediment bulb hange (Same as T2051X)	25	T2051	"	1	"
S160	Sediment bulb hange gasket	03	T2094	"	1	"
S161	Sediment bulb pet cock	15	T1815	"	1	"
S162	(Same as T3079)	20	F1931	"	1	"
S163	Kerosene feed tube pack nut (Order S163)	05	T1374	"	1	1 oz.
S164	Sediment bulb pack nut (Same as T2910)	02	T5892	"	1	"

GASOLINE TANK

S175	GASOLINE TANK ASSY. Assembly.	3 00	F2026	1917-24	1	12 lb.
S176	Gasoline tank cap (Same as T2901)	2 50	F2024	"	1	11 lb.
S178	Gasoline tank plug gasket, Lead (Order S160)	30	F2027	"	1	4 oz.
S179	Gasoline tank pet cock, Brass (Order S161)	15	F1030R	1917-21	1	2 oz.
S181	Fuel feed tube—short	10	F3398	1922-24	1	"
S182	Gasoline feed tube pack nut (Order S163)	05	F 500	1917-24	2	2 oz.
S183	Gasoline tank screw lock	01	F2247	"	2	"
S184	Aux. gas tank plug, Washer	05	F1939	"	2	"
S185	Fuel valve (two way)	65	F3089	1922-24	1	"

MOTOR

S200	CYLINDER. Cast iron.	50 00	F2260B	1917-24	1	195 lb.
S200C	Cylinder—bore .03125 oversize	35 00	F2260CR	"	1	195 lb.
S200D	Cylinder assy.	110 00	F3134AR	"	1	"
S200E	Cylinder assy., .03125 oversize cylinder	85 00	F3134ACR	"	1	"
S201	Cylinder head, Cast iron.	12 00	F 133	"	1	52 lb.
S202	Cylinder head cam screw, 1/2 x 3/8 x 13 thds.	05	F1379	"	22	4 oz
S203	Cylinder head gasket, Copper, asbestos	60	F 157	"	1	11 oz
S204	Cylinder head water conn. gasket.	15	F1567	"	1	2 oz.
S205	Cylinder plug, Steel, 1 1/2 dia.	03	F1844	"	5	7 oz.
S206	Cylinder oil pipe	30	F1816	"	1	45 lb.
S207	Cylinder front cover, Cast iron.	13 00	F 583	"	1	2 oz.
S208	Cylinder front cover bolt, 1/2 x 1 1/2 x 20 thds. (Order S157)	05	F 583	"	2	2 oz.
S210	Cyl. front cover drain cock, Brass and malle. iron	40	F1769	"	1	7 oz.
S211	Cyl. front cover felt, Felt, 1/2 x 1 1/2 x 13 thds (Order S182)	05	F 716	"	1	8
S213	Cyl. front cover screw lock, 1/2 std. (Order S183)	05	F1889	"	3	3 lb., 15 oz.
S214	Washer, Vellumoid.	3 00	F2264B	"	4	3 lb., 15 oz.
S215	PISTON COMPLETE, Cast iron.	3 00	F2264D	"	4	3 lb., 15 oz.
S216	Piston complete, .005 oversize	3 00	F2264C	"	4	3 lb., 15 oz.
S217	Piston complete, .037 oversize	3 00	F2264B	"	4	3 lb., 15 oz.
S218	Piston pin, Steel	1	F1168	"	1	8 oz.
S219	Piston ring, .005 oversize	15	F 363DR	"	12	2 oz.
S219B	Piston ring, Standard	15	F 363B	"	12	2 oz.
S219C	Piston ring, .037 oversize	15	F 363CR	"	12	2 oz.
S220B	CONN. ROD ASSEMBLY, Does not include S223	4 00	F2265B	"	4	3 lb., 10 oz.
S221	Conn. rod assembly, Undersize (Use with S226B)	4 00	F2265AK	"	4	3 lb., 10 oz.
S222	Connecting rod cap bolt, 1/2 x 2 1/2 x 20 thds.	15	F1378	"	8	2 oz.
S223	Conn. rod clamp screw, 1/2 x 1 1/2 x 20 thds.	10	F1380	"	8	"
S224	Conn. rod clamp shim, Brass, .003	01	F 1070	"	24	"
S225	Conn. rod emergency shim, Brass, .0015	01	F2542	"	1	"
S226	CRANKSHAFT, Steel.	27 50	F1145B	"	1	46 lb.

*Two required on Tractors with breather on dash. *Used only on Tractors without breather on dash. †When replacing plug having 1/8" hole with plug having 1/4" hole also install S-185.




Plate No. 2

MOTOR—Continued

TRANSMISSION—Continued

S226B	Crankshaft (reground)	Steel	\$15 00	F1145AR	1917-24	1	46 lb.	14 oz.
S227	Crankshaft time gear	Steel	1 00	F 144	"	1	1 lb.	14 oz.
S228	Crankshaft key (Same as T3548)	Steel	03	T 930	"	1	4 lb.	12 oz.
S229	Crankshaft bearing cap	Steel	90	F 137B	"	2	2 lb.	6 oz.
S2298B	Crankshaft bearing cap No. 3	Undersize (Use with S226B)	90	F 137AR	"	2	2 lb.	6 oz.
S230B	Crankshaft bearing cap No. 3 (Undersize Use with S226B)	Steel	80	F565B	"	2	2 lb.	10 oz.
S230B	Crankshaft bearing cap No. 3 (Undersize Use with S226B)	Steel	80	F565AR	"	2	2 lb.	10 oz.
S231	C. S. bearing cap emergency	Steel, $\frac{1}{8}$ " x 2 $\frac{1}{2}$ " x 12 thds.	15	F 565	"	30	1 lb.	4 oz.
S232	C. S. bearing cap emergency	Steel, $\frac{1}{8}$ " x 2 $\frac{1}{2}$ " x 12 thds.	15	F 565	"	30	1 lb.	4 oz.
S233	C. S. bearing cap emergency	Steel, $\frac{1}{8}$ " x 2 $\frac{1}{2}$ " x 12 thds.	15	F 565	"	30	1 lb.	4 oz.
S234	CAMSHAFT	Steel, .003"	8	F 446	"	1	13 lb.	
S235	CAMSHAFT	Steel, .003"	8	F 446	"	1	13 lb.	
S236	CAMSHAFT key	(Order S228)	1	F 143	"	1	4 lb.	12 oz.
S237	CAMSHAFT nut—large	Cast iron, 1" x 14 thds.	10	F 392	1924	1	3 oz.	
S237B	CAMSHAFT nut—small	(Same as T3220)	03	T 471	1917-23	1	1 oz.	
S238	CAMSHAFT time gear	(Same as T3220)	01	T 466	"	1	1 oz.	
S239	CAMSHAFT time gear flvel	(Same as T3207)	02	T 466	"	1	1 oz.	
S240	CAMSHAFT time gear cap (Same as T3206BX)	Steel	35	F 041	"	8	5 oz.	
S241	Valve push rod	Steel	45	F 09C1	1917-24	8	2 oz.	
S242C	Valve (Intake and exhaust)	Steel	45	F 09D1R	1917-24	8	2 oz.	
S242D	Valve (Intake and exhaust)	Over-size, $\frac{1}{8}$ " x $\frac{1}{4}$ " x 13 thds.	15	F 112	1917-24	2	2 oz.	
S243	Valve spring cover screw	Cast iron, 3 $\frac{1}{2}$ " long	15	F 397	1917-24	8	3 oz.	
S244	Valve bushing	Steel, $\frac{1}{8}$ " x $\frac{1}{4}$ " x 13 thds.	03	F 398	1917-23	8	3 oz.	
S245	Valve spring seat	Steel	05	F 107B	1923-24	8	2 oz.	
S246	Valve spring seat	Steel	01	F 124	1917-23	8	2 oz.	
S247	Valve spring seat pin	Steel	05	F 108	1923-24	1	2 lb.	1 oz.
S247B	Valve spring seat retainer	Steel	25	F 717	1917-24	1	1 oz.	
S248	Valve spring cover gasket	Cork or vellumoid	16	F 1783	"	1	62 lb.	
S249	Valve spring cover gasket	Cast iron, $\frac{1}{8}$ " x 1 $\frac{1}{2}$ " x 20 thds.	16	F 1783	"	1	62 lb.	
S250	CRANKCASE	(Order S208)	18	F 1768	"	2	2 oz.	
S251	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	
S252	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	
S253	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	
S254	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	
S255	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	
S256	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	
S257	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	
S258	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	
S259	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	
S260	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	
S261	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	
S262	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	
S263	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	
S264	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	
S265	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	
S266	CRANKCASE	(Order S208)	15	F 1768	"	2	2 oz.	

S326	Trans. housing gasket	Paper	\$ 0 03	F1894	1917-23	1	15 lb.	
S327	Trans. housing plate	Semi-steel	4 00	F1678AR	1917-22	1	18 lbs.	
S327B	Trans. housing plate	Cast iron	03	F1678B	1923-24	1	1 oz.	
S328	Trans. housing plate gasket	Paper	03	F1899	1917-24	1	1 oz.	
S329	Trans. housing plate pin	Steel, $\frac{1}{2}$ " x 1 $\frac{1}{4}$ " x 13 thds.	0 10	F1755	1917-24	1	1 oz.	
S330	Trans. housing plate cap $\frac{1}{2}$ " x 1 $\frac{1}{4}$ " x 13 thds.	Steel	0 10	F1755	1917-24	1	1 oz.	
S331	Trans. housing bolt	$\frac{1}{2}$ " x 1 $\frac{1}{2}$ " x 20 thds (Order S208)	8	F1602	"	14	13 lb.	
S332	Trans. housing bolt nut	$\frac{1}{2}$ " x 20 thds (Order S187)	14	F 577	"	14	4 oz.	
S333	Trans. housing plug	$\frac{1}{2}$ " pipe plug (Order S157)	1	F 1345	"	1	2 oz.	
S334	Trans. housing cap screw	$\frac{1}{2}$ " x 1 $\frac{1}{4}$ " x 13 thds. (Order S182)	2	F1053	"	1	2 oz.	
S335	Trans. drive shaft	Steel	10 00	F1548A	1917-22	2	11 lb.	
S335B	Trans. drive shaft	Steel	10 00	F1548A	1917-22	2	11 lb.	
S336	Trans. shaft bevel gear	Steel	3 50	F1590	1917-24	1	3 lb.	
S337	Trans. drive shaft nut	1 $\frac{1}{2}$ " x 20 thds.	5 00	F1915	"	6	8 oz.	
S338	Trans. shaft—upper	Steel	2 00	F1912	"	9	1 lb.	
S339	Trans. shaft—lower	Steel	2 00	F1912	"	9	1 lb.	
S340	Trans. pinion (splined)	Steel	3 00	F1545	"	3	1 lb.	
S341	Trans. pinion (splined)	Steel	3 00	F1545	"	3	1 lb.	
S342	Trans. gear—low	Steel	5 00	F1544	"	5	3 lb.	
S343	Trans. gear—large	Steel	8 00	F1540AR	1917-22	1	10 lb.	
S343B	Trans. gear—large (deep splined)	Steel	8 00	F1540C	1923-24	1	10 lb.	
S344	Trans. reverse idler with bushing	Steel	3 00	F2265	1917-23	1	2 lb.	5 oz.
S344C	Trans. reverse idler with bushing	Steel	3 00	F2265C	1923-24	1	2 lb.	5 oz.
S345	Trans. housing plate oil shield	Steel	05	F2584	1917-24	1	1 oz.	
S346	Trans. reverse idler shaft	Steel	60	F2442R	1923-24	1	15 oz.	
S346B	Trans. reverse idler shaft	Steel	30	F1663AR	1917-23	1	5 oz.	
S347	Trans. reverse idler bushing	Bronze	30	F1663B	1924	1	5 oz.	
S347B	Trans. reverse idler bushing	Bronze	30	F1663B	1924	1	5 oz.	
S348	Trans. reverse idler collar	Steel	05	F2443R	1917-23	1	5 oz.	
S349	Trans. shaft ball bearing—1 dia. inside, 3 $\frac{1}{8}$ " dia. outside	Steel	3 75	F1521	"	2	1 lb.	4 oz.
S350	Trans. shaft ball bearing—1 $\frac{1}{2}$ " dia. inside, 3 $\frac{1}{4}$ " dia. outside	Steel	4 50	F1522	"	2	1 lb.	11 oz.
S351	Trans. drive shaft and large gear ball bearing	2 $\frac{1}{2}$ " dia. inside, 4 $\frac{1}{2}$ " dia. outside	7 00	F1523	"	2	2 lb.	9 oz.
S352	Drawbar cap screw	Semi-steel, 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " x 12 thds.	2 05	F1536A	"	1	10 lb.	5 oz.
S353	Drawbar cap gasket	Paper, 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " x 12 thds.	03	F 587	"	4	2 oz.	
S355	Trans. rev. idler shaft collar pin	Steel, $\frac{1}{4}$ " x 2"	10	F2475R	1917-22	1	2 oz.	
S356	Drawbar cap extension	Steel, $\frac{1}{4}$ " x 2"	1 25	F1537	1923-24	1	1 lb.	

COMMUTATOR

GEAR SHIFTER

S276	Com. case with fibre (Same as T3221)	Steel	50	T5908A	1917-23	1	10 oz.	
S277	Com. lock nut (Same as T3210)	Steel	01	T472B	"	8	3 oz.	
S278	Com. brush assembly (Same as T3165)	Steel	20	T4481	"	1	3 oz.	
S279	Com. case spring	Spring steel	05	F1750	"	1	2 oz.	
S280	Com. case spring stud	Steel	10	F2022	"	1	4 oz.	
S282	Com. control rod	Steel (Order S157)	10	F1656AR	"	1	2 oz.	
S282B	Com. control rod	Steel	10	F1656B	1924	1	2 oz.	
S283	Com. felt reather asy.	Steel	10	F 396	1924	1	1 oz.	
S284	Com. felt reather washer	Steel	10	F 395	1924	1	1 oz.	
S285	Com. felt reather washer	Steel	10	F 393	1924	1	1 oz.	

S360	Trans. plate, reverse idler and brake assy.	Steel	11 00	F2386C	1923-24	1	37 lb.	8 oz.
S361	Brake shaft	Steel	1 50	F3510	"	1	1 lb.	7 oz.
S362	Brake spring	Steel	10	F4053	"	1	1 lb.	7 oz.
S363	Brake spring retainer nut	Steel	15	F4054	"	1	1 lb.	7 oz.
S364	Brake adjusting screw	Steel	05	F4052	"	1	1 lb.	7 oz.
S365	Brake plate pin	Steel	05	F3495	"	2	3 oz.	
S366B	Brake plate—stationary	Steel	10	F3494	"	2	3 oz.	
S366B	Brake plate—stationary	Steel	10	F3494	"	2	3 oz.	
S367	Brake plate revolving	Steel	10	F3493	"	2	3 oz.	
S368	Brake hub	Steel	60	F3496B	"	1	1 lb.	
S375	GEAR SHIFTER ASSEMBLY	Steel	8 50	F1782	1917-24	1	16 lb.	
S376	GEAR SHIFTER ASSEMBLY	Steel	3 00	F1529	"	1	8 lb.	
S377	GEAR SHIFTER ASSEMBLY	Steel	05	F1896	"	1	1 lb.	

MAGNETO

CLUTCH

S300	MAGNETO COIL ASSEMBLY	Steel	7 00	F1841	1917-24	1	15 lb.	4 oz.
S301	MAGNETO COIL SUPPORT SHIM	Steel, $\frac{1}{2}$ " x 1 $\frac{1}{4}$ " x 13 thds.	01	F 948	"	3	2 oz.	
S302	MAGNETO COIL SUPPORT SCREW	Steel, $\frac{1}{2}$ " x 1 $\frac{1}{4}$ " x 13 thds.	05	F1260	"	1	2 oz.	
S303	PRIMARY CONTACT ASSY. Assembly	Steel	40	F 177	"	1	2 oz.	
S304	PRIMARY CONTACT LOCK NUT	Steel	01	T1508	"	2	112 lb.	
S305	Flywheel magnet (16 per set) (Same as T3276B)	Cast iron	15 00	F1445	"	1	112 lb.	
S306	Flywheel magnet (16 per set) (Same as T3276B)	Cast iron	15 00	F1445	"	1	112 lb.	
S307	Flywheel magnet clamp	Steel	03	T 5933	"	1	12 lb.	
S308	Flywheel magnet support	Steel	03	T 628	"	16	1 oz.	
S309	Flywheel magnet support	Steel	03	F 518	"	16	1 oz.	
S310	Flywheel magnet bolt	Steel, $\frac{3}{8}$ " x 1 $\frac{1}{2}$ " x 24 thds.	05	T 535C	"	16	1 oz.	
S311	Flywheel magnet washer	Steel, $\frac{3}{8}$ " x 1 $\frac{1}{2}$ " x 24 thds.	03	F 576	"	16	1 oz.	
S312	Flywheel magnet washer	Steel, $\frac{3}{8}$ " x 1 $\frac{1}{2}$ " x 24 thds.	03	F 576	"	16	1 oz.	
S313	Flywheel stud	Steel, $\frac{1}{2}$ " inside dia., 2 $\frac{1}{2}$ " outside dia., (Order S107)	01	T 624	"	16	1 oz.	
S314	Flywheel stud nut	Steel, $\frac{1}{2}$ " x 20 thds. (Order S18)	30	F 451	"	6	7 oz.	

S400	CLUTCH HOUSING—FRONT	Steel	10 00	F1660	"	1	22 lb.	
S401	CLUTCH HOUSING—REAR	Steel	45	F 175	"	1	4 lb.	4 oz.
S402	CLUTCH HOUSING—REAR ASSB.	Cast iron and steel, $\frac{1}{2}$ " x $\frac{1}{4}$ " x 28 thds.	1 75	F2193	"	1	1 lb.	11 oz.
S403	CLUTCH HOUSING CAP SCREW	Steel, $\frac{1}{2}$ " x 28 thds.	03	F2347	"	8	1 oz.	
S404	CLUTCH HOUSING CAP SCREW	Steel, $\frac{1}{2}$ " x 28 thds.	02	F2344	"	8	1 oz.	
S405	CLUTCH PLATE DRIVER	Steel	15	F 416	"	9	6 oz.	
S406	CLUTCH PLATE DRIVER	Steel	15	F 417	"	9	6 oz.	
S407	CLUTCH SPRING	Spring steel	10	F 944	"	9	2 oz.	
S408	CLUTCH DRIVE DRUM AND KEYS	Malleable iron, per pair	3 50	F2194	"	6	6 lb.	
S409	CLUTCH DRIVE DRUM NUT	Steel	03	F1591	"	1	Pr.	
S410	CLUTCH DRIVE DRUM NUT	Steel	35	F1589	"	1	4 oz.	

TRANSMISSION HOUSING—Cast iron
 *Sold in sets only.
 †Beginning with Tractor 249, 359.
 ‡Used with Tractors having breather on dash.
 §Used on Tractors up to 249, 359.
 ¶Used only with S21C.

TRANSMISSION—Continued
 *Sold in sets only.
 †Beginning with Tractor 249, 359.
 ‡Used on Tractors up to 249, 359.
 §Used only with S21C.

STARTING CRANK

S425	STARTING CRANK ASSY	Steel	\$ 1 20	F1844	1917-24	1	4 lb.	4 oz.
S426	Starting crank	Steel	70	F 661	"	1	3 lb.	4 oz.
S427	Starting crank handle	(Same as T3901)	20	T 520R	1917-24	1		6 oz.
S428	Starting crank handle pin	(Same as T3902)	10	T 521R	"	1		4 oz.
S429	Starting crank handle spring (Same as T3909)	Steel	02	T5911R	"	1		1 oz.
S430	Starting crank spring	Steel	05	F 459	"	1		1 oz.
S431	Starting crank spacer	Steel	05	F1823	"	1		2 oz.
S432	Starting pin	1/2" dia. x 2 3/4"	10	F1021	"	1		2 oz.

DASH

S451	Dash with lining	Cast iron	11 00	F2266A	1917-22	1	32 lb.	
S451B	Dash with lining	Cotton webbing	12 00	F2266B	1923-24	1		3/8"
S452	Dash cotton lining	1/8" x 1/8" (Order S155)	05	F1817	1917-24	4		2 oz.
	Dash split rivet	1/8" x 1 3/8" x 12 thds.						
	Dash cap screw	(Order S353)						

CLUTCH LEVER BRACKET

S455	Dash gasket	Vellumoid	05	F1897	"	2		
S456	CLUTCH LEVER BRACKET ASSEMBLY	Cast iron	4 50	F1789	"	1		
S457	Clutch lever bracket	1/2" x 1 1/4" x 13 thds.	1 25	F1758	"	1		5 lb.

CLUTCH LEVER

S459	Clutch lever	Steel	2 00	F1760	"	4	2 lb.	12 oz.
S459B	Clutch lever pin	1/8" x 2 7/8" (Order S75)	2 50	F1760B	1923-24	1	2 lb.	2 oz.
S461	Clutch release plate	Bronze	90	F1759	1917-23	1		15 oz.
S462	Clutch pedal	Steel	1 80	F1587	"	1	4 lb.	
S463	Clutch pedal cam	Steel	60	F1761	"	1		7 oz.
S464	Clutch pedal cam retainer	Steel	03	F1762	"	1		1 oz.
S465	Clutch pedal spring	Steel wire	03	F1853	"	1		

STEERING GEAR


STEERING WHEEL

S475	STEERING WHEEL ASSEMBLY	Steel	2 25	F1747	"	1	5 lb.	7 oz.
S476	Steering wheel rim	Steel	1 00	F1510	"	1	1 lb.	15 oz.
S477	Steering wheel rim screw	Steel	02	T5346	"	4		8 oz.
S478	Steering wheel spider	Cast iron	1 20	F1748	"	1	3 lb.	11 oz.
S479	Steering shaft	Steel	1 00	F1437	"	1	3 lb.	11 oz.
S480	Steering shaft grease cup	(Use T2915)	10	T76	"	1		1 oz.
S481	Steering shaft nut	1/8" x 18 thds.	10	F1745	"	1	1 lb.	15 oz.
S482	Steering sector	Malleable iron	80	F1731	"	1	1 lb.	12 oz.
S483	Steering sector pin	1/4" x 1 1/8"	70	F1423	"	1	4 lb.	6 oz.
S484	Steering pinion	Steel	2 00	F1635	"	1		2 oz.
S485	Steering arm—rear	Steel	15	F1784	"	1		6 oz.
S486	Throttle control handle	Steel	10	F1785	"	1		9 oz.
S487	Throttle con. lever conn.	Steel	20	F1818AR	1917-21	1		
S488	Throttle control rod and cover assembly	Steel	70	F3202	1922-24	2		1 oz.
S488C	Throttle control rod assy.	Steel	15	F1654	1917-22	2		1 oz.
S489	Throttle control rod lever	Steel	10	F3394	1922-24	1		5 oz.
S489B	Throttle con. rod lever pin	1/8" x 3/8"	01	F1786	1917-24	4	1 lb.	3 oz.
S490	Spark control rod	Steel	20	F1675	"	2		1 oz.
S491	Spark control rod support	Steel	05	F1873	"	1		1 oz.
S492	Spark control rod lever	Steel	10	F1875	"	1		1 oz.
S493	Control rod and priming rod pin	Steel wire	03	F1188	"	3		
S495	Control rod spring retainer	Steel	03	F1150	"	2		
S496	Control rod spring retainer pin	1/8" x 1/2"	01	F1781	"	2		6 oz.
S497	Priming rod	Steel	15	F2037A	1921-20	1		6 oz.
S497B	Priming rod	Steel	15	F2037B	1921-24	1		6 oz.
S498	Priming rod plunger	Steel	05	F2199	1917-24	1		5 oz.
S499	Needle valve adjusting rod	Steel	15	F2023AR	1917-21	1		5 oz.
S499B	Needle valve adjusting rod	Steel	10	F3088	1922-24	1		1 oz.
S500	Throttle control rod yoke	Steel	15	F1915	1917-21	1		1 oz.
S501	Throttle control rod spring	Steel	10	F3200	1922-24	1		
S502	Throttle control rod spring disc	Steel	05	F3199	"	1		
S503	Throttle control rod friction disc	Steel	03	F3198	"	1		

RADIATOR

S526	Radiator top tank & lining	Cast iron	12 50	F2261	1917-24	1	60 lb.	
S527	Radiator top tank cover	Steel	20	F1418	"	1		15 oz.
S528	Radiator cover bolt	2 1/2" x 13 thds.	15	F1822	"	1		3 oz.
S529	Radiator cover nut	Steel	05	F1836	"	1		9 oz.
S530	Radiator cover knob	Cast iron	30	F1420	"	1		
S531	Radiator cover ring	Steel	03	F2342	"	2		
S532	Radiator tank cap screw	1/4" x 3/8" x 23 thds.	03	F2343	"	9		
S533	Radiator top tank stud	1/4" x 28 thds & 3/8" x 16 th	03	F2284	"	9		
S534	Radiator top tank stud nut	(Order S104)						
S535	Radiator top tank rivet	1/8" x 3/8" split (Order S135)						
S536	Radiator top tank cotton lining	Cotton webbing (Order S134)						
S537	Radiator top tank conn.	Cast iron	3 00	F1405	"	1		2 oz.
S538	Radiator top tank conn.	1/2" x 1 1/2" x 13 thds. (Order S182)						

*Beginning with Tractor 276,283. †Beginning with Tractor 213,400.



RADIATOR—Continued

S538	Radiator tank cap screw	1/2" x 1" x 28 thds.	\$ 0 03	F2346	1917-24	16		
S540	Radiator tank cap screw nut	1/2" x 28 thds. (Order S104)	17 50	F 381	"	1	28 lb.	
S541	Radiator core assembly	Assembly	50	F1822	"	1	10 oz.	
S542	Rad. overflow tube & gland	Brass tube	10	F1533	"	2	10 oz.	
S543	Radiator strip—front	Steel	05	F1530	"	2	5 oz.	
S544	Radiator strip—rear	Steel	2 00	F1387	"	2	10 lb.	
S545	Radiator side member	Cast iron	02	F1583	"	1	2 oz.	
S546	Radiator bottom tank	Cast iron	02	F2552	"	2	2 oz.	
S547	Rad. bottom tank spacer	Steel	05	F1901	"	2	2 oz.	
S548	Rad. bottom tank cap screw 1/2" x 13 thds	Velumoid	15	F1568	"	1	2 oz.	
S549	Radiator top tank gasket	Copper asbestos	05	F1569	"	1	1 oz.	
S550	Rad. bottom tank gasket	Copper asbestos	10	F 798	"	1	1 oz.	
S551	Radiator fin	Copper	75	F 800	"	1	10 lb.	
S552	Radiator header—top	Cast iron	60	F2486	"	1	10 lb.	
S553	Radiator header—bottom	Cast iron	10	F 801	"	1	10 lb.	
S554	Radiator tube—small	1/4" x 1 1/2" x 20 thds.						
	Rad. conn. bolt	1/2" x 20 thds. (Order S908)	3			3		
	Rad. conn. bolt nut	1/2" x 20 thds. (Order S157)	4			4		
	Rad. conn. 1/2" lock washer	1/2" std. (Order S156)	4			4		
	Rad. 1/2" lock washer	1/2" std. (Order S183)	7			7		

FAN


S575	FAN ASSEMBLY	Assembly	7 50	F1846	"	1	6 lb.	
S576	Fan shaft nut	Steel	90	F1514	"	1	12 oz.	
S578	Fan shaft retainer	1/8" x 18 thds. (Order S58)	30	F2377	"	1	5 oz.	
S579	Fan blade assembly	Steel	60	F2379	"	1	3 lb.	
S580	Fan pulley gasket	Cast iron	1 00	F2864	"	1	2 lb.	
S581	Fan pulley dust ring	Velumoid	02	F2875	1920-24	1	2 oz.	
S582	Fan pulley plug	Steel stamping	10	F653	1917-24	1	5 oz.	
S583	Fan drive pulley	Cast iron	03	F1502	"	1	2 oz.	
S584	Fan drive pulley pin	Steel	1 20	F1575	"	1	3 lb.	
S585	Fan screw	1/4" x 1 1/2" x 20 thds.	05	F2428	"	1	1 oz.	
S586	Fan ball bearing	1/8" inside dia., 1 1/8" out-side dia.	1 60	F1527	1917-24	2	4 oz.	
S590	Fan washer	Steel	05	F1496	"	1	2 oz.	
S591	Fan belt	Special fabric, 1 1/8" x 3/4"	60	F1467	"	1	6 oz.	

VAPORIZER

S600B	Vaporizer assembly		18 00	F1175A	"	1	5 lb., 10 oz.	
S601	Mixer chamber assembly		7 00	F234-1R	1917-24	1	3 lb., 11 oz.	
S601B	Mixing chamber assembly		5 50	F1431	1917-24	1	6 oz.	
S602	Mixer chamber	Cast iron	3 50	F234-2R	1917-24	1	6 oz.	
S602B	Mixing chamber	Cast iron	3 90	F1438R	1917-24	1	6 oz.	
S603	Mixer chamber cover	Steel	20	F1077R	1917-24	1	2 oz.	
S603B	Mixing chamber cover assy.	(Order S-628B)	40	F14373	1922-24	1	2 oz.	
S604C	Mixing chamber to man-	(Old No. 604B)	05	F15091	1917-24	1	3 oz.	
S605	Mixer chamber cover gasket	Copper asbestos	05	F221-5R	"	1	1 oz.	
S606	Mixer chamber gasket	Copper asbestos	05	F221-5R	"	1	1 oz.	
S607	AIR VALVE	Brass	50	F10850	"	1	2 oz.	
S608	Air valve guide	Die casting	40	F221-6R	"	1	4 oz.	
S609	Throat choke tube	Die casting	25	F221-6R	"	1	3 oz.	
S610	Throat retainer screw	Steel	15	F220-65R	1917-24	1	1 oz.	
S611	Shifter valve	Cast iron	50	F234-4R	1917-23	1	2 oz.	
S612	Shifter valve button	Cast iron	20	F234-9R	"	1	2 oz.	
S613	Shifter valve plunger	Cast iron	05	F220-75R	"	1	2 oz.	
S614	Shifter valve spring	Cast iron	05	F234-7R	"	1	2 oz.	
S615	STRAND VALVE ASSEMBLY		20	F342-8R	"	1	2 oz.	
S616	Strangling throttle level		50	F234-12R	"	1	3 oz.	


S617	Strangling throttle plate	Steel	25	F14408	1922-24	1	1 oz.	
S618	Strangling throttle plate pin	Brass	03	F220-93	1917-24	1	1 oz.	
S619	Throttle lever assembly	Steel	60	F234-11R	1917-24	1	2 oz.	
S620	Throttle plate	Steel	05	F12204R	"	1	1 oz.	
S620B	Throttle plate pin	Order S-618	10	F14365	1922-24	1	1 oz.	
S622	Vapor tube packing	Steel	10	F221-57	1917-24	1	1 oz.	
S623	Vapor tube packing	Brass	10	F11295R	1917-20	1	1 oz.	
S623B	Vapor tube packing	Brass	10	F14208	1920-24	1	1 oz.	
S623C	Vapor tube bushing	Steel	05	F14207	1917-24	1	1 lb., 6 oz.	
S624	Floot chamber assembly	Cast iron	6 00	F234-75R	1917-24	1	6 oz.	
S624B	Floot chamber assembly	Cast iron	2 60	F15002	1922-24	1	2 lb.	
S625	Floot chamber	Steel	2	F233-17R	1917-24	1	1 oz.	
S625B	Floot chamber cover	Steel	15	F15205R	1917-24	1	1 oz.	
S626	Floot chamber cover	Steel	10	F15258	1922-24	1	1 oz.	
S627	Floot chamber cover spring	Steel	10	F22223R	1917-24	1	1 oz.	
S628	Floot chamber cover screw	Steel, 1/4" x 1 1/2" x 32	05	F234-30R	1917-24	1	1 oz.	
S628B	Floot chamber cover screw	Steel, 1/4" x 1 1/2" x 20 thds.	03	F15524	1922-24	1	1 oz.	
S629	Floot chamber cover spacer	Steel	03	F234-40R	1917-24	1	1 oz.	
S630	Floot chamber cover plug	Steel stamping	05	F234-29R	"	1	1 oz.	

*Used on old style fans.



VAPORIZER—Continued

5631	Floater	Copper	\$0	30	F234-43R	1917-21	1	1 oz.
5632	Floater	Brass	30	30	F15272	1922-24	1	1 oz.
5632B	Floater lever and clamp screw	Brass	15	15	F13205	1917-21	1	1 oz.
5633	Floater lever pin	Brass	05	05	F151919	1922-24	1	1 oz.
5633B	Floater valve lever pin	Brass	05	05	F234-40R	1917-21	1	1 oz.
5634	Floater valve	Brass	40	03	F15313	1922-24	1	1 oz.
5634B	Floater valve seat	Brass	15	15	F234-83R	1917-21	1	1 oz.
5635	Floater valve seat	Brass	20	15	F6324A	1922-24	1	1 oz.
5635B	Floater valve seat	Brass	20	15	F234-49R	1917-21	1	1 oz.
5636	Adjusting needle point and valve assembly	Brass	60	05	F234-80	1917-21	1	3 oz.
5637	Adj. needle point spring	Steel	15	15	F234-81R	1917-21	1	1 oz.
5638	Adj. needle bushing	Steel	15	15	F234-28R	1917-21	1	1 oz.
5639	Adj. needle point assembly	Brass	40	40	F234-56R	1917-21	1	2 oz.
5639B	Adj. needle head and block assembly	Brass	45	45	F14914	1922-24	1	1 oz.
5640	Adj. needle pilot	Brass	40	40	F234-67	1917-24	1	1 oz.
5641	High and low speed nozzle	Brass	20	20	F10849R	1917-21	1	1 oz.
5642	Nozzle gasket	Copper, asbestos	03	03	F220-47R	1917-21	1	1 oz.
5643	Nozzle plug	Steel	15	15	F220-43R	1917-21	1	1 oz.
5644	Nozzle plug gasket	Copper, asbestos	03	03	F220-44R	1917-21	1	1 oz.
5645	Drain plug	Brass	10	10	F16303	1917-24	1	1 oz.
5647	Pipe plug	Steel (Order S883)	03	03	F234-27R	1917-21	1	21 lb.
5648	Floater chamber gasket	Steel	7	50	F234-76R	1917-21	1	1 oz.
5648B	MANIFOLD & STUD ASSY.	Steel	6	00	F14434	1922-24	1	1 oz.
5649B	MANIFOLD and stud assembly	Steel	10	10	F15001	1917-24	1	1 oz.
5650	MANIFOLD outlet and studs	Brass	1	50	F234-71R	1917-21	1	3 lb., 8 oz.
5651B	MANIFOLD outlet and studs	Brass	10	10	F10929	1917-24	1	8 oz.
5652	Exhaust muni. outlet studs	Brass	10	10	F2919	1917-24	1	1 oz.
5653	Vaporizer to cyl. stud nut	Steel (Use T2949)	03	03	T78	1917-21	1	1 oz.
5654	Vaporizer to cyl. stud nut	Steel	03	03	F1004	1917-21	1	1 oz.
5655	MANIFOLD gland	Steel	02	02	F1621	1917-21	1	1 oz.
5656	MANIFOLD lock washer	Steel	02	02	F1043	1917-21	1	1 oz.
5657	MANIFOLD gasket	Steel	02	02	F1043	1917-21	1	1 oz.
5658	SHUNT VALVE LEVER ASSEMBLY	Copper, asbestos	90	90	F234-73R	1917-21	1	8 oz.
5659	Shunt valve lever stud	Steel	10	10	F10837R	1917-21	1	1 oz.
5660	Shunt valve lever stud nut	Brass	15	15	F10838R	1917-21	1	1 oz.
5661	Shunt valve lever shims	Steel	03	03	F234-52R	1917-21	1	1 oz.
5662	EXHAUST SHUNT VALVE ASSEMBLY	Steel	50	45	F234-74R	1922-24	1	1 lb., 6 oz.
5662B	Shunt valve and pilot assy.	Steel	1	5	F2445	1922-24	1	1 lb., 6 oz.
5663	Exhaust tube assembly	Mail iron	1	30	F2200	1917-21	1	13 oz.
5664	Exhaust tube flange	Steel, 2 dia.	1	1	F1687	1917-21	1	3 lb., 7 oz.
5665	Exhaust tube bracket	Steel	1	10	F1990	1917-21	1	7 oz.
5666	Exhaust tube bracket cap screw	Steel, 1/4 x 1 1/2 x 28 thds. (Order S538)	1	1			1	1 oz.
5667	Exhaust tube bracket cap screw	Steel, 1/4 x 1 1/2 x 28 thds. (Order S404)	1	1			1	1 oz.
5669	Mixer chamber stud—short	1/4 x 28 thds. (Order S404)	05	05	F234-58R	1917-21	1	2 oz.
5670	Mixer chamber stud—long	3/8 x 2 1/4 x 24	05	05	F234-57R	1917-21	1	2 oz.
5671	Mixer chamber stud	3/8 x 2 1/4 x 24	05	05	F234-28R	1917-24	1	1 oz.
5672	Mixer chamber stud nuts	3/8 x 2 1/4 x 24	05	05	F234-59R	1917-24	1	1 oz.
5673	Mixer chamber stud lock washer	3/8 x 2 1/4 x 24	01	01	T1943	1917-24	2	3/4
5674	Floater chamber stud nut	3/8 x 2 1/4 x 24	02	02	T44	1917-24	2	3/4
5675	Floater chamber stud nut	3/8 x 2 1/4 x 24	05	05	T1599	1922-24	2	1 oz.
5676B	Vapor tube complete	Steel	1	25	F14210R	1922-24	1	1 oz.
5676C	Vapor tube	Steel	1	00	F14368	1917-24	1	1 oz.
5677	Fuel inlet elbow	Brass (Same as T6055)	1	15	T4859	1917-24	1	1 oz.
5679	Fuel inlet elbow pack nut	Steel (Order S163)	20	20	F1935R	1917-24	1	2 oz.
5679	Case shut-off cock pack nut	Steel (Order S163)	05	05	T6284	1917-24	1	2 oz.
5681	Mixing chamber plug	Steel	03	03	F10924	1917-24	1	1 oz.
5682	Throttle retaining screw	Mail Iron	20	01	F14335	1917-24	1	1 oz.
5683	Throttle valve latch	Mail Iron	01	05	F14376	1917-24	1	1 oz.
5684	Throttle plate screw	Steel	20	03	F14420	1917-24	1	1 oz.
5685	Shunt valve latch pin	Steel	03	03	F14420	1917-24	1	1 oz.
5686	Adj. needle nut	Steel	1	00	F14436	1917-24	1	1 oz.
5687	Floater chamber throat assembly	Brass	15	15	F14605	1917-24	1	1 oz.
5688	MANIFOLD outlet and stud assembly	Brass	05	05	F15092	1922-24	1	1 oz.
5689	Floater chamber throat	Brass	03	03	F15737	1922-24	1	1 oz.
5690	Floater chamber cap screw	Brass	02	02	F15738	1917-24	1	1 oz.
5691	Mixing chamber governor	Steel	10	10	F234-26	1922-24	1	1 oz.
5692	Mixing chamber governor	Steel	20	20	F14422	1922-24	1	1 oz.
5693	Flange cover gasket	Steel	01	01	F14423	1917-24	1	1 oz.
5694	Flange cover screw	Steel	40	40	F14425	1922-24	1	1 oz.
5695	Adj. needle gasket	Steel	05	05	F14433	1922-24	1	1 oz.
5696	Throttle stop lever plate	Brass	05	05	F14433	1922-24	1	1 oz.
5697	Throttle rod	Steel	05	05	F14433	1922-24	1	1 oz.
5698	Throttle stop screw	Steel	05	05	F14433	1922-24	1	1 oz.
5699	Throttle stop lever and rod assembly	Steel	05	05	F14433	1922-24	1	1 oz.



BELT PULLEY ATTACHMENT

S900	COMPLETE	\$23 00	F2451	1917-24	
S901	Pulley drive gear band shaft	9 00	F1389	"	
S902	Pulley drive gear housing	3 50	F2429	"	
S903	Drive pulley assembly	6 00	F3130	"	
S904	Drive pulley dusting	85	F3131	"	
S905	Drive pulley felt washer	05	F3128	"	
S906	Drive pulley felt retainer	10	F3127	"	
	Pulley drive gear nut		(Order S69)		
	Pulley drive gear washer		(Order S67)		
	Pulley drive gear bearing—outside		(Order S350)		
	Pulley drive gear bearing—inside		(Order S108)		

EXTENSION RIM

EXTENSION RIM ASSEMBLY

S910	COMPLETE with bolts, nuts, washers and spacers for attaching	15 00	F2448	1917-24	2 90 lb.
S911	Extension rim bolt	25	F2512	"	10 per rim
S912	Extension rim bolt nut	03	F1833	"	14 per rim
	Extension rim bolt nut		(Order S157)		14 per rim
	Extension rim bolt lock washer	03	F2513	"	14 per rim
S915	Extension rim spacer nut	02	F 634	"	20 per rim
S916	Extension rim clear rivet				

TRACTOR COVER

S920	Tractor cover	6 00	F2187	1917-24	1 6 lb., lb 8 oz.
------	---------------	------	-------	---------	-------------------

GROUSER

S925	Grouser bolt	50	F2297	"	28
S926	Grouser bolt	05	F2995	"	84
S927	Grouser bolt nut	02	F2996	"	84

FENDER

S931	Fender—right	20 00	F3000	"	1
S932	Fender—left	20 00	F3001	"	1
S933	Fender iron—right	2 25	F3024	"	1
S934	Fender iron—left	2 25	F3025	"	1
S935	Fender iron to dash bolt—long	05	F3032	"	2
	Fender iron to dash bolt—short		(Order S208)		4
S938	Fender iron to dash bolt nut	01	T5636	"	6
	Fender iron to dash bolt lock washer	2 75	F3015	"	2
S939	Fender axle bracket	50	F3018	"	2
S940	Fender axle bracket clamp	05	TT327	"	4
S941	Fender axle bracket clamp nut	1 15	F3027	"	1
S942	Fender step bolt	02	T5510	"	2
S943	Fender step to rear support bolt	03	T340	"	4
S944	Fender step bolt nut	02	T1363	"	6
S945	Fender step bolt lock washer	01	T7254	"	6
S946	Fender rear support	4 00	F3020	"	1
S949	Fender rear support bolt—long	05	F3029	"	8
S950	Fender rear support bolt—short	01	T1897	"	4

S960	Fender rear support bolt lock washer	05	F3028	1917-24	12
S961	Fender adapter cap screw	2 75	F2976R	"	1
S962	Short	03	F582	"	4
	Fender adapter cap screw—long		(Order S208)		2
	Fender adapter cap screw—washer		(Order S938)		6
	Fender adapter bolt nut		(Order S935)		6
	Fender adapter bolt lock washer		(Order S157)		6
	Fender adapter bolt lock washer		(Order S938)		6

COTTER PINS

	Name	Price	Factory No.
	* 1/8" x 3/8" cotter pin	\$0 05 per doz.	T7992
	* 3/16" x 1/2" cotter pin	02	T 544
	* 1/4" x 5/8" cotter pin	02	T 753
	* 3/8" x 1" cotter pin	05	T 421
	* 1/2" x 1 1/4" cotter pin	05	F1834
	* 3/4" x 1 3/4" cotter pin	05	T 614
	* 1" x 2" cotter pin	05	T 82
	* 1 1/4" x 2 1/2" cotter pin	05	TT328
	* 1 1/2" x 2 3/4" cotter pin	05	F1592
	* 1 3/4" x 3" cotter pin	05	F1671
	* 2" x 3 1/2" cotter pin	05	F1593
	* 2 1/4" x 4" cotter pin	10	F2475

* 0.25 per gross—0.75 per thousand. ††Used when installing fenders on Tractors without breather on dash. Printed in U. S. A.

